
Approved Ferral 200/04/17: CIA-RDP78B04560A005400010020-7

25X1C

PHOTOGRAPHIC INTERPRETATION REPORT





NPIC/R-50/66 25 MARCH 1966

CONFIDENTIAL 25X1C

Approved For Release 2009 (N

005400010020-7

MONTHLY AAA SITE SURVEY NORTH VIETNAM

The "AAA Site Survey, North Vietnam," provides a consolidated listing of all occupied sites observed on the latest aerial photography. New mission inputs will provide information on newly identified sites, which after initial reporting will be carried only when occupied. Previously reported unoccupied sites will be evaluated on a mission-by-mission basis, and reported immediately when first observed to be occupied.

For reporting purposes, AAA defenses are divided into three basic categories: HMGAA (50 cal. and 12.7mm), light (ZPU-1, ZPU-2, ZPU-4, 37mm), medium (57mm, 85 mm), and heavy (100mm and larger).

The computer tabulation provides the following information, from left to right, in two or more line entries.

- A. FIRST LINE
- (1) Installation Number -- A unique installation number containing the standard two letter country designator, a two digit province designator, and a four digit installation designator within the province. The ALPHA E denotes the NPIC report type. A map showing provinces and their designators is included in this report.
- (2) Name -- Name of nearest town or village as derived from the AMS map series L509, scale 1:250,000, and abbreviated within the ten space limitation, as appropriate.
- (3) Military Zone -- A two letter or Roman Numeral abbreviation of the military district as indicated on the map included in this report.
- (4) Coordinates -- Geographic coordinate derived from the AMS map series L509, scale 1:250,000 and/or AMS map series L701, scale 1:50,000. In case of

multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.

- (5) UTM -- UTM coordinate, derived from the AMS series L509, scale 1:250,000 and/or AMS map series L701, scale 1:50,000, carried to the nearest 100 meters. In case of multiple sites reported under the same installation number, the coordinate represents the centermost coordinate.
- (6) Status -- Listed as active or dummy. Only occupied dummy sites will be reported.
- B. SECOND LINE
- (1) Date -- Date of information (photography) from which the report is derived.
- (2) Mission -- Mission Alpha/numeric designator from which the report is derived.

25X1A 25X1A

- (3) Frame -- Frame number(s) from which the report is derived. The IBM program provides for a maximum of two selected frame numbers. In cases where the installation is imaged on more than two frames, the two best-quality frames are recorded. The alpha designator preceding the frame number denoted the camera position.
- (4) Count -- Site, position, and equipment count normally expressed by a single digit in the case of site(s), and no more than two digits in the case of position(s) and equipment.
- (5) Site Category -- Site category preceded by degree

Approved For Release 2000 60 NEIDENTIAL 78 B025604 005400010020-7

Approved For Release 2009 Approved For Relea

of confidence.

The third and following lines report the number of positions occupied and/or unoccupied; the size of the weapon (light, medium, or heavy); other equipment by count and type (fire control radar, fire director, etc.); and associated vehicles, as appropriate.


When two or more sites are carried under the same installation number, normally they will be reported in their entirety and one will immediately follow the other.


Several abbreviations appearing in the "Equipment Type" column include: PROB.(Probable), POSS.(Possible), LT. (Light), MED. (Medium), HVY.(Heavy), PSN.(Position),

OCC. (Occupied), UNOCC. (Unoccupied), and HMGAA (Heavy Machine Gun Antiaircraft). Other abbreviations may appear in this column when equipment and/or vehicles are reported and as imposed by report space limitations. In an installation containing more than one site, the "Equipment Type" column will also indicate the number either dismantled or not observed.

Sites are arranged by geographic coordinates in ascending order. Upon request, NPIC can provide additional listings in any of the following sequences: installation number, alphabetic, military district, UTM coordinates, or date of information.

Approved For Reference The Province CIA-RDP 304560A0054000100:





	CONFIDENTIA	AL/NO FOREIGN		25X1C	045604005400040020 7	R-50/66
	INSTALLATION	• •	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYPE
	VN28ØØ92 E	CHANHHOA	IV.	1732N 1Ø633E	ACTIVE	· * · · · · · · · · · · · · · · · · · ·
	DATE			FRAME	1 4	LT AAA SITE LT AAA PSN OCC
	25X1D				1	FIRE CONTROL RADAR
	V N28Ø1Ø4 E	QUANGKHE	ΙV	1742N 1Ø628E	ACTIVE	_
	DATE			FRAME	2	LT AAA SITE
_	25X1D				8	LT AAA PSN OCC
	VN28ØØ21 E	CUUDINH	IV	1742N 1Ø629E	ACTIVE	
	DATE			FRAME	1	MED AAA SITE
	25X1D			'	3	MED AAA PSN OCC
	VN28ØØ56 E	QUANGKHE	IV	1742N 1Ø629E	ACTIVE	
	DATE	WOWITOWIT		FRAME	1	LT AAA SITE
					3	LT AAA PSN POSS OCC
	25X1D				1	LT AAA PSN: UNOCC
	VN28Ø1Ø2 E	QUANGKHE	IV.	1742N 1Ø629E	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN28Ø1Ø3 E	QUANGKHE	IV	1742N 10629E	ACTIVE	
	DATE	WORNOW		FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN28ØØ85 E	CUUDINH	ΙV	1743N 10627E	ACTIVE	
	DATE DATE	COODING		FRAME	1	HMGAA SITE
	25X1D				6	HMGAA PSN OCC
		"OHVI ANU	7 W :	1748N 1Ø546E	ACTIVE	
	VN28ØØ97 E Date	XOMYLANH	IV.	. }1/48N 10546E ■: FRAME	1	LT AAA SITE
				. I NAME	4	LT AAA PSN OCC
	25X1D					

CONFIDENTIAL	/NO FOREIGN		25X1C	1500 4 005 4000 4000	R-5Ø/66
INSTALLATION N	• •	MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYP
VN280098 E	XOMYLANH	I٧	1748N 10546E	ACTIVE	LT AAA SITE
25X1D			FRAME	1 4	
VN28Ø1Ø8 E	RON	I۷	1752N 10627E	ACTIVE	
VN28ØØ99 E	THANHTHIEN	ΙV	1753N 10549E	ACTIVE	
DATE	, , , , , , , , , , , , , , , , , , ,		FRAME	1	
25X1D				4	LT AAA PSN OCC
VN28ØØ65 E	THANHTIEN	ΙV	1753N 1Ø55ØE	ACTIVE	
DATE	MANITIEN		FRAME	1	
25X1D				4	LT AAA PSN OCC
VN28ØØ96 E	RON	ΙV	1753N 1Ø627E	ACTIVE	
DATE	KON	1 4	FRAME	1	
				6	HMGAA PSN OCC
25X1D	RON	ΙV	≥ 1756N 1Ø629E	ACTIVE	
VN28Ø1ØØ E	KUN	1 A	FRAME	1	LT AAA SITE
25X1D				3	LT AAA PSN OCC
	2011	ΙV	1756N 10629E	ACTIVE	
VN28Ø1Ø1 E	RON	1 V.	FRAME	1	LT AAA SITE
				3	LT AAA PSN DCC
25X1D		T.14	1757N 184285	ACTIVE	
VN28ØØ66 E	VINHSON	ΙV	1757N 10630E FRAME	ACTIVE	LT AAA SITE
			1 130112	2	
25X1D				1	LT AAA PSN UNO
VN28Ø1Ø7 E	THANHLANG	ΙV	1759N 10550E	ACTIVE	
DATE	MARTICANO	- •	FRAME	1	
	•			4	LT AAA PSN OCC

INSTALLATION	NO. NAME	MD	25X1C e 2000/04/17 : CIA-RDP78E COORDINATE 25X1D ^{UTM}	STATUS COUNT	EQUIPMENT TY
VN28Ø1Ø6 E	DONGHA	ΙV	1800N 10550E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN27Ø122 E	LAKHETHON	ΙV	18Ø3N 1Ø548E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN270123 E	LAKHETHON	ΙV	1804N 10549E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN27Ø115 E	PHUCTRACH	ΙV	18Ø8N 1Ø543E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
/N27Ø116 E	PHUCTRACH	ΙV	18Ø8N 1Ø543E	ACTIVE	
DATE TO E	PHOCINACII	1 4	FRAME	1	LT AAA SITE
25X1D				- 4 .	LT AAA PSN OCC
25/1D VN27Ø118 E	PHUCTRACH	ΙV	18Ø8N 1Ø544E	ACTIVE	
DATE TO E	FILOCINACI	1 4	FRAME	ACTIVE	LT AAA SITE
25X1D			7 70772	4	LT AAA PSN OCC
/N27Ø119 E	DINICTOACH	• • •	10001 105445	4077	
DATE DATE	PHUCTRACH	ΙV	18Ø8N 1Ø544E Frame	ACTIVE 1	LT AAA SITE
25X1D			TRAFE	4	LT AAA PSN OCC
				•	
/N27Ø117 E	DOKHE	ΙV	18Ø9N 1Ø543E	ACTIVE	
DATE			FRAME	1 4	LT:AAA SITE LT:AAA PSN OCC
25X1D				4	LI AMA FON UCC
/N27Ø129 E	XOMMAY	ΙV	181ØN 1Ø542E	ACTIVE	
DATE			FRAME	1.	
25X1D					LT AAA PSN OCC

INSTALLATION	NO. NAME	Releas MD	e 2000/04/17 : CIA-RDP78B04 COORDINATE 25X1D	560A005400010020-7 STATUS COUNT	EQUIPMENT TY
VN27Ø1Ø3 E	TUDUNG	ΙV	25X1D 1812N 10607E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				4	MED AAA PSN OO
VN27Ø <u>1</u> Ø7 E	CAUTHUONG	I V	_ 1813N 1Ø6Ø5E	ACTIVE	•
DATE			FRAME	1	MED AAA SITE
25X1D				4	MED AAA PSN OC
VN27Ø1Ø8 E	CAUTHUONG	IV.	1813N 10605E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				4	MED AAA PSN OC
VN27Ø114 E	GIAHOI	ΙV	1814N 10600E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN27Ø124 E	GIAHOI	I۷	1814N 10601E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN27Ø125 E	YENHOIHA	IV	1815N 10540E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN27Ø126 E	YENHOIHA	ΙV	1815N 10540E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				6	MED AAA PSN OC
				1 1	MED AAA PSN UN FIRE CONTROL R
				1	FIRE DIRECTOR
				_	TINE DIRECTOR
VN27Ø127 E	YENHO I HA	ΙV	1815N 10540E	ACTIVE	MED AAA CITE
DATE			FRAME	1 . 6	MED AAA SITE MED AAA PSN OO
25X1D				1	FIRE CONTROL: F

•	CONFIDENTIA	Approved For	Salass	25X1C e 2000/04/17 : CIA-RDP78B045	560Å005400010020-7	R-5Ø/66
	INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYPE
	VN27Ø128 E Date	XOMBO	ΙV	1815N 10540E FRAME	ACTIVE	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN27Ø13Ø E	XOMCAY	ΙV	1815N 1Ø54ØE	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				6	LT AAA PSN OCC
	VN27Ø1Ø6 E	TRUONGNGOA	ΙV	1815N 1Ø6Ø1E	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN270120 E	HATINH	ΙV	182ØN 1Ø552E	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN27Ø1ØØ E	HATINH	ΙV	182ØN 10554E	ACTIVE	•
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN270049 E	HATINH	ΙV	182ØN 1Ø555E	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
	VN27Ø121 E	HATINH	ΙV	1821N 1Ø552E	ACTIVE	
	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN OCC
,	VN27ØØ77 E	KIMDOI	IV	1827N 10555E	ACTIVE	
-	DATE			FRAME	1	LT AAA SITE
	25X1D				4	LT AAA PSN POSS OCC
,	VN27Ø112 E	BINHLANG	IV	1831N 1Ø542E	ACTIVE	
ı	DATE			FRAME	1	LT-AAA SITE
	25X1D				4 .	LT AAA PSN OCC

CONFIDENTIA	AL/NO FOREIGN		25X1C		R-50/66
INSTALLATION	Approved FO	r Relea MD	Se 2000/04/17 : CIA-RDP78B COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN260094 E	VINH	ΙV	_ 1832N 10440E	ACTIVE	
DATE 25X1D			FRAME	1 4	LT AAA SITE LT:AAA PSN OCC
25X1D	D.110.7711.0		(
VN27Ø111 E	DUCTHO	ΙV	1832N 10535E	ACTIVE 1	LT AAA SITE
25X1D			T NAME	4	LT AAA PSN OCC
VN27ØØ94 E	VINH	ΙV	1832N 1Ø539E	ACTIVE	
DATE	V 21411	1.4	FRAME	1	MED AAA SITE
25X1D				4	MED AAA PSN OCC
VN27ØØ76 E	VANCHANG	ΙV	1832N 10540E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D	4			3	LT AAA PSN OCC LT AAA PSN UNOCC
	55				
VN27ØØ81 E DATE	PHUDIEN	ΙV) 1834N 1Ø538E ■ FRAME	ACTIVE 1	LT AAA SITE
25X1D			T NAME	3	LT AAA PSN OCC
VN27ØØ52 E	VINHAI	TV	₹ 1837N 1Ø549E	ACTIVE	
DATE	VINNAI	1 4	FRAME	1	HMGAA SITE
25X1D				2 .	HMGAA PSN POSS OCC
VN27ØØ53 E	VANHAI	ΙV	1837N 1Ø549E	ACTIVE	
DATE			FRAME	1	HMGAA SITE
25X1D				3	HMGAA PSN OCC
VN26ØØ12 E	VINH	ΙV	1838N 1Ø542E	ACTIVE	
DATE			FRAME	1 · 6	MED AAA SITE MED AAA PSN OCC
25X1D				_	11ED AAA 1 311 000
VN27ØØØ2 E Date	VINH	ΙV	1838N 10543E FRAME	ACTIVE 1	MED AAA SITE
			TRANC	3	MED AAA PSN OCC
25X1D				5	MED AAA PSN UNOCC

INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYP
VN27ØØ29 E	VINH	ΙV	1838N 1Ø543E	ACTIVE	
DATE			FRAME]	
25X1D				•	ET AAA FSN UCC
VN270109 E	VINH	ΙV	1838N 1Ø543E	ACTIVE	
DATE			FRAME	1	
25X1D					LT AAA PSN OCC
VN27Ø11Ø E	VINH	ΙV	1838N 1Ø543E	ACTIVE	
DATE	7 2 1 1 1 1		FRAME	1	LT AAA SITE
25X1D				5	
23/10				1	LT AAA PSN UNOC
VN270104 E	VINH	ΙV	1838N 1Ø544E	ACTIVE	
DATE	V 2.11.1	2 1	FRAME	1	MED AAA SITE
25X1D			_	4	MED AAA PSN OCC
23/10				3	
				j	FIRE DIRECTOR
VN260140 E	VINH	ΙV	1839N 10541E	ACTIVE	
DATE	V 2		FRAME]	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN26Ø158 E	VINH	ΙV	1839N 1Ø541E	ACT I VE	
DATE	ATIALI	1 4	FRAME	ACTIVE	LT AAA SITE
				. 2	
25X1D					
VN26Ø132 E	VINH	ΙV	1839N 1Ø542E	ACTIVE	WED 111 STTE
DATE			FRAME :	1	
25X1D					
•				•	HED AAA 131 ONE
VN26Ø157 E	VINH	IV	1839N 1Ø542E	ACTIVE	
DATE			FRAME	1	LT AAA SITE

CONFIDENTIA	L/NO FOREIGN	Relea	25X1C se 2000/04/17 : CIA-RDP78E	804560A005400010020-7	R-50/66
INSTALLATION		MD	COORDINATE 25X1DJTM	STATUS COUNT	EQUIPMENT TYPE
VN270018 E DATE 25X1D	VINH	ΙV	1839N 1Ø543E FRAME	ACTIVE	MED AAA SITE MED AAA PSN OCC
VN27ØØ83 E DATE 25X1D	BENTHUY	IV	1839N 10543E FRAME	ACTIVE 1 4 4	MED AAA SITE MED AAA PSN OCC MED AAA PSN UNOCC
VN260024 E DATE 25X1D	VINH	IV	184ØN 10541E FRAME	ACTIVE 18	MED AAA SITE MED AAA PSN OCC
VN260041 E DATE	VINH	IV	1840N 10542E FRAME	ACTIVE 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	MED AAA SITE MED AAA PSN OCC FIRE CONTROL RADAR
VN26Ø152 E DATE 25X1D	LUONGGIAI	IV	1841N 10530E FRAME	ACTIVE 1	LT AAA SITE LT AAA PSN OCC
VN26Ø148 E DATE 25X1D	VINH	ΙV	1841N 10540E FRAME	ACTIVE 1 4	LT AAA SITE LT AAA PSN POSS OCC
VN26ØØ88 E DATE 25X1D	PHUNHUAN	IV	1842N 10530E FRAME	ACTIVE 1 4 1	LT AAA SITE LT AAA PSN OCC LT AAA PSN UNOCC
VN260086 E DATE	DONGXUAN	IV	1843N 10529E FRAME	ACTIVE 3 8 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	LTRAAA SITE LTRAAA PSN UNOCC LT AAA PSN OCC LTRAAA PSN UNOCC

INSTALLATION		Releas	25X1C se 2000/04/17 : CIA-RDP78I COORDINATE UTM 25X1D	B04560A005400010020 STATUS COUNT	R-50/66)-7 EQUIPMENT TYPE
VN26Ø123 E	VINH	IV	1843N 1Ø54ØE	ACTIVE	
DATE			FRAME	1	
25X1D				4	LT AAA PSN OCC
VN26Ø149 E	VINH	IV	1849N 1Ø539E	ACTIVE	
DATE			FRAME	1	
25X1D				7	
					FIRE CONTINUE NA
VN260154 E	TAMDA	ΙV	1851N 1Ø539E	ACTIVE	MACAA CITE
DATE			FRAME	1 4	
25X1D				T	THUMA FOR OUC
VN26Ø115 E	PHUCTHUY	ΙV	1854N 1Ø517E	ACTIVE	
DATE		الكثير	FRAME	1	
25X1D				4	LT AAA PSN OCC
VN26Ø142 E	DONGTRUNG	I V.	→ 1854N 1Ø519E	ACTIVE	
DATE	00.107.1.5.1.5		FRAME	1	
25X1D				4	LT AAA PSN OCC
VN26Ø112 E	PHUCTHUY	ΙV	1855N 1Ø517E	ACTIVE	
DATE DATE	Filocino.		FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
	DUNCTHIV	TV	3 1855N 1Ø517E	ACTIVE	
VN26Ø15Ø E	PHUCTHUY	IV.	FRAME	ACTIVE	LT AAA SITE
25X1D			1 North	-	LT AAA PSN OCC
	· HONOCON	***	10000 100170	ACTIVE	
VN26Ø156 E	LUONGSON	IV	1855N 1Ø517E Frame	ACTIVE 1	MED AAA SITE
DATE CENTER			FRAME	6	
25X1D				_	
VN26Ø138 E	PHUCTHUY	ΙV	→ 1855N 1Ø518E	ACTIVE	MED AA'A CITE
DATE			FRAME	1	MED AAA SITE MED AAA PSN OCC
25X1D				1	
					FIRE DIRECTOR

CONFIDENTIAL Approved For Re 25X1C IA-RDP78B04560A005400010020-7

CONFIDENTIA	L/NO FOREIGN	a a la a	25X1C		R-5Ø/66
INSTALLATION		MD	SE 2000/04/17 : CIA-RDP78B0 COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN26Ø133 E	PHUCTHUY	IV	1855N 10520E	ACTIVE	
DATE			FRAME	1 4	LT AAA SITE LT AAA PSN OCC
25X1D				7	EI AMA F3N GGG
VN26Ø111 E	PHUCTHUY	IV	1855N 1Ø547E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				3 5	MED AAA PSN OCC MED AAA PSN UNOCC
				1	HED AAA 7 SIV ONDOO
VN26Ø155 E	YENXUAN	IV.	1858N 1Ø534E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				6	MED AAA PSN OCC
VN27ØØ88 E	HUUBANG	ΙV	1859N 1Ø336E	ACTIVE	
DATE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		FRAME	1	HMGAA SITE
25X1D				2	HMGAA PSN OCC
VN27ØØ87 E	XOMHAU	IV	1859N 1Ø536E	ACTIVE	
DATE	AUMMAU	1 4	FRAME	1	HMGAA SITE
25X1D			· · · · · · · ·	4	HMGAA PSN DCC
	=				
VN26Ø151 E	PHUDI ENCHA	ΙV	1859N 1Ø536E FRAME	ACTIVE	
DATE CEVAD			FRAME	. 4	LT AAA PSN OCC
25X1D					
VN26ØØ48 E	BANLANGMOI	ΙV	1906N 10447E	ACTIVE	IT AAA CITE
DATE			FRAME	1 1	LT AAA SITE
25X1D				3	LT AAA PSN UNOCC
VN26ØØ49 E	BANLANGMOI	ΙV	1906N 10447E	ACTIVE	
DATE			FRAME	1 4	LT AAA SITE LT AAA PSN OCC
25X1D				4	LI AAA FSN UCC
23/10	:				

CONFIDENTIAL INSTALLATION N	Approved Fo	r Release 2000/04/ MD COORDINA				
INSTALLATION N	NO. NAME	MD COORDINA	ATE 25X1DUTM	STATUS CO	IUNI	EQUIPMENT TYPE
VN26ØØ43 E DATE	BANBUNG	IV 1907N 104	4448	ACTIVE		
		FRAME			1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
VN260153 E	THUANNGHIA	IV 1908N 105	5388	ACTIVE		
DATE		FRAME			1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN26Ø143 E	CHOGIAT	IV 1909N 105	538E	ACTIVE		
DATE		FRAME			1	LT AAA SITE
25X1D		<u></u>			3	LT AAA PSN OCC
VN26Ø124 E	KIMLUNG		540E	ACTIVE		
DATE	1121120140	FRAME	7400	ACTIVE	2	LT AAA SITE
25X1D					4	LT AAA PSN OCC
23/10					2	LT AAA PSN OCC
					2	LT AAA PSN UNDCC
VN26ØØ25 E	BANMON	IV 1916N 104	27F	ACTIVE		
DATE		FRAME		A0110L	1	MED AAA SITE
0.5744.5					3	MED AAA PSN POSS OCC
25X1D					3	MED AAA PSN UNOCC
VN25ØØ16 E	SAMSON	RB 1944N 1Ø5	554F	ACTIVE		
DATE		FRAME		701145	2	HMGAA SITE
25X1D					6	HMGAA PSN OCC
23/10					5	HMGAA PSNEUNOCC
VN25ØØ6Ø E	THANHHOA	RB 1947N 1Ø5	647F	ACTIVE		
DATE		FRAME		MOTTAL	1	LT AAA SITE
25X1D					4.	LT AAA PSN OCC
VN25ØØ21 E	THANHHOA	RB 1949N 1Ø5		1677117		
DATE DATE	INANDOUA	RB 1949N 105	405	ACTIVE	1.	LT AAA SITE
		- NAME			8	LT AAA PSN OCC
25X1D		•			•	AAA 3 011 000

CONFIDENTIA	L/NO FOREIGN	Palase	25X1C	B04560A005400010020-7	R-50/66
INSTALLATION	• •	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYP
VN25ØØ85 E	THANHHOA	RB	1949N 1Ø546E	ACTIVE	
DATE	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		FRAME	1	LT AAA SITE
				8	LT AAA PSN OCC
25X1D				1	FIRE CONTROL RA
			•	1 .	FIRE DIRECTOR
VN250001 E	THANHHOA	RB	1949N 1Ø547E	ACTIVE	
DATE	***************************************		FRAME	2	LT AAA SITE
25X1D				· 7 ·	LT AAA PSN OCC
VN25ØØ37 E	THANHHOA	RB	195ØN 1Ø546E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
				8	MED AAA PSN OCC
25X1D				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN250040 E	THANHHOA	RB	195ØN 1Ø546E	ACTIVE	
DATE	***************************************		FRAME	1	LT AAA SITE
				4	LT AAA PSN OCC
25X1D				1	FIRE CONTROL RA
VN25ØØ3Ø E	THANHHOA	RB ·	195ØN 1Ø547E	ACTIVE	
DATE	***************************************	,,,_	FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
23/10				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN25ØØ14 E	THANHHOA	RB:	195ØN 1Ø548E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN25ØØ63 E	THANHHOA	RB	195ØN 1Ø548E	ACTIVE	
DATE			. FRAME	1	MED AAA SITE
25X1D			V	8	MED AAA PSN OCC
23/10				1	FIRE CONTROL RA
				1	FIRE DIRECTOR

INSTALLATION	NO. NAME	MD	SE 2000/04/17 : CIA-RDP78B COORDINATE 25X1DUTM	STATUS CO		EQUIPMENT TYPE
/N250098 E	BAITHUONG	RB	1953N 10522E FRAME	ACTIVE		
25X1D			FRAME		1 4	HMGAA SITE HMGAA PSN OCC
/N25Ø1Ø3 E	BAITHUONG	RB	1953N 1Ø523E	ACTIVE		
DATE	DATTHOUNG	N D	FRAME	ACTIVE	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
N250075 E	BAITHUONG	RB	1953N 10524E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
N25ØØ87 E	BAITHUONG	RB	1953N 10526E	ACTIVE		
PATE TO THE PARTY OF THE PARTY			FRAME		1	LT AAA SITE LT AAA PSN OCC
25X1D					7	ET AAA PSN UCC
N25Ø1Ø2 E	HAITRACH	RB	1953N 10529E FRAME	ACTIVE		1 T AAA CITC
25X1D			FRAME		1 6	LT AAA SITE LT AAA PSN OCC
N250104 E	HAITRACH	RB	1953N 1Ø529E	ACTIVE		
ATE	HATTRACH	N D	FRAME	ACTIVE	1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
					1	FIRE CONTROL RADA
N25Ø1Ø6 E	LIA ETD ACIA	0.0	10500 105000		•	THE DIRECTOR
ATE TO THE	HAITRACH	RB	1953N 10537E FRAME	ACTIVE	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
N25ØØ97 E	BAITHUONG	RB	1954N 1Ø522E	ACTIVE		
ATE			FRAME	701145	1 .	MED AAA SITE
25X1D					7	MED AAA PSN OCC MED AAA PSN UNDC
					1	FIRE CONTROL RAD

			25X1C se 2000/04/17 : CIA-RDP78B	04560A005400010020-7	, R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYP
VN250062 E	BAITHUONG	RB	1954N 1Ø523E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN25ØØ65 E	BAITHUONG	RB	_ 1954N 1Ø523E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN25Ø1Ø7 E	HAITRACH	RB	1954N 1Ø526E		
DATE	HALINAUH	K D	1934N 10326E FRAME	ACTIVE 1	MED AAA SITE
05V4D			, KAILE	8	MED AAA SITE
25X1D				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN25Ø1ØØ E	HAITRACH	RB	_ 1954N 1Ø527E	ACTIVE	
DATE		ND	FRAME	ACTIVE 1	MED AAA SITE
05)/45				8	MED AAA PSN OCC
25X1D				1	FIRE CONTROL RA
				1 .	FIRE DIRECTOR
VN25Ø1Ø5 E	HAITRACH	RB	1954N 10527E	ACTIVE	
VN25ØØ93 E	HAITRACH	RB	1954N 1Ø528E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				6	MED AAA PSN OCC
VN25ØØ99 E	HAITRACH	RB	1955N 10527E	ACTIVE	
DATE	HATTKACH	ND	FRAME,	ACTIVE	MED AAA SITE
25X1D			· reside	1 . 8	MED AAA SITE
23/10				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN25ØØ55 E	DONGPHONGT	RB	1958N 10550E	ACTIVE	
DATE DATE	2011011101101	עט	FRAME	ACTIVE 1	LT AAA SITE
25X1D			V 13731796	1	LT AAA SIIE LT AAA PSN OCC

INSTALLATION	NO. NAME	MD	COORDINATE 25X1DUTM	STATUS COUNT	EQUIPMENT TYPE
VN25ØØ58 E Date me	DONGPHONGT	RB	1959N 10551E	ACTIVE	
			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
N25ØØ83 E	XUANGIAI	RB	2004N 10536E	ACTIVE	
ATE			FRAME	1	LT AAA SITE
25X1D				5	LT AAA PSN OCC
N310005 E	HANOI	VB	2004N 10553E	ACTIVE	
ATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN DCC
				1 .	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
N240017 E	LANGCA	RB	2011N 10554E	ACTIVE	
ATE			FRAME	1	LT AAA SITE
25X1D				1	LT AAA PSN OCC
20/(12				2	LT AAA PSN UNOCC
N24Ø <u>Ø19</u> E	NINHBINH	RB	2012N 10554E	ACTIVE	
ATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
N24ØØ22 E	NINHBINH	RB	2013N 10558E	ACTIVE	
ATE TO THE STATE OF THE STATE O			FRAME	1	MED AAA SITE
25X1D				8 .	MED AAA PSN OCC
23/10				1	PROB FIRE CONTROL RADAR
				1 :	PROB FIRE DIRECTOR
N24ØØ13 E	NINHBINH	RB	2014N 10558E	ACTIVE	
ATE			FRAME	1	LT AAA SITE
25X1D		_		7	LT AAA PSN OCC
20/(10				1	LT AAA PSN UNDCC

	AL/NO FOREIGN Approved	I FOLK	elease 2000/04/17 : CIA-RDP78	3B04560A005400010	028 ^{-79/66}
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN240010 E	NINHBINH	RB	2015N 10558E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
				2	LT AAA PSN UNOCC
VN230028 E	PHAMXA	RB	2015N 10606E	ACTIVE	
TE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
20/(12				1	PROB FIRE CONTROL RADAR
				1	PROB FIRE DIRECTOR
VN23ØØ27 E	THUCVU	RB	2016N 10606E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN23ØØ25 E	THUCVU	RB	2017N 10606E	1077	
DATE	1110010	N D	FRAME	ACTIVE	455 444 575
25V1D			1 RAME	1	MED AAA SITE
25X1D				8 1	MED AAA PSN OCC FIRE CONTROL RADAR
				i	FIRE DIRECTOR
VN23ØØ26 E	THICANG			_	The sameonon
DATE DATE	THUCVU	RB	2017N 10606E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
				1	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN23ØØ24 E	NATHON	RB	2019N 10604E	ACTIVE	
DATE			FRAME	1	LT:AAA SITE
25X1D				4	LT AAA PSN OCC
24ØØ31 E	TRIDONG	RB	2021N 10555E	ACTIVE	
DATE			FRAME	ACTIVE	IMCAA CTTT
			1 7 (13)	1	HMGAA SITE HMGAA PSN OCC
25X1D				9	MINGAA F3N OCC

25X1C CONFIDENTIAL/NO F PROPERTY 17: CIA-RDP78B04560A005400010020-7

INSTALLATION	NO. NAME	MD	25X1C e 2000/04/17 : CIA-RDP78B04 COORDINATE 25X1D	STATUS COU		QUIPMENT TYPE
VN240033 E	TRIDONG	RB	2021N 10555E	ACTIVE		
DATE			FRAME			AAA SITE
25X1D					4. LT	AAA PSN OCC
VN23ØØØ5 E	NAMDINH	RB	2023N 10611E	ACTIVE		
DATE			FRAME		1 MED	AAA SITE
25X1D					8 MED	AAA PSN OCC
25/10						E CONTROL RADAR
					1 FIR	E DIRECTOR
VN23ØØØ7 E	NAMDINH	RB	2024N 10609E	ACTIVE	-	
DATE			FRAME		1 MED	AAA SITE
25X1D					6 MED	AAA PSN OCC
23/10					2 MED	AAA PSN UNOCC
VN23ØØØ4 E	NAMDINH	RB	2024N 10610E	ACTIVE		
DATE	MANDIM	ND	FRAME	ACTIVE	1 MED	AAA SITE
25X1D			· · · · · · · ·			AAA PSN OCC
VN23ØØ17 E	NAMDINH	RB	2024N 10610E	ACTIVE		
DATE			FRAME			AAA SITE
25X1D					6 MED	AAA PSN OCC
VN230021 E	NAMDINH	RB	2024N 10610E	ACTIVE		
DATE			FRAME		1 MED	AAA SITE
25X1D					6 MED	AAA PSN OCC
VN23ØØ18 E	NAMOTNIA	0.0	26244 164115			
DATE	NAMDINH	RB	2024N 10611E FRAME	ACTIVE	1 HED	AAA CITE
			FRAME			AAA SITE AAA PSN OCC
25X1D						AAA PSN UNDCC
					- 1120	7 011 011000
VN23ØØØ6 E	NAMDINH	RB	2025N 10609E	ACTIVE		
DATE			FRAME E		1 MED	AAA SITE

	CONFIDENTIA	L/NO FOREIGN	Poloas	2 e 2000/04/17 : CIA	5X1C	6040054000	10020 7	R-5Ø/66
	INSTALLATION	NO. NAME	MD		5X1D ^{UTM}	STATUS		EQUIPMENT TYPE
	VN23ØØØ3 E DATE	NAMDINH	RB -	2025N 10611E FRAME		ACTIVE		
				FRAME			1 6	MED AAA SITE MED AAA PSN OCC
	25X1D						Ū	
	VN23ØØ19 E DATE	NAMDINH	RB	2025N 10611E		ACTIVE		
1				FRAME			1	MED AAA SITE
	25X1D						6	MED AAA PSN OCC
	VN23ØØØ8 E	NAMDINH	RB	2025N 10612E		ACTIVE		
1	DATE			FRAME			1	MED AAA SITE
	25X1D						7	MED AAA PSN OCC
	20/(15						: 1	MED AAA PSN: UNOCC
1	/N230001 E	NAMDINH	RB	2025N 10613E		ACTIVE		
ı	DATE			FRAME			1	MED AAA SITE
	25X1D						8	MED AAA PSN OCC
,	/N230002 E	NAMDINH	RB	2026N 10609E		ACTIVE		
	DATE	111111111111111111111111111111111111111		FRAME		ACTIVE	1	MED AAA SITE
	25X1D						8	MED AAA PSN OCC
	/N210002 E Date	PHULY	RB :	2032N 10554E Frame		ACTIVE	_	
•				FRAME			1 4	LT:AAA SITE LT:AAA PSN OCC
	25X1D						7	LI AAA PSN UCC
	/N2ØØØØ2 E	MUONGLAU	RB	2036N 10515E		ACTIVE		
ı	DATE			FRAME			1	LT AAA SITE
	25X1D						4	LT AAA PSN OCC
	/N200001 E	KHOLY	RB	2037N 10513E		ACTIVE		
•	DATE			FRAME			1	MED AAA SITE
	25X1D			_			6	MED AAA PSN DCC
							1.	FIRE CONTROL RADAR
							ī	FIRE DIRECTOR

INSTALLATION	NO. NAME	MD	e 2000/04/17 : CIA-RDP78BC COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN18ØØ65 E DATE	DONGEM	RB	2042N 10539E	ACTIVE	
			FRAME	1 4	LT AAA SITE LT AAA PSN OCC
25X1D				T	LI MAA FSN UCC
VN18ØØ66 E DATE	DONGEM	RB	2042N 10539E	ACTIVE	
			FRAME	1	LT AAA SITE LT AAA PSN OCC
25X1D				4.	LI AAA PSN UCC
VN3ØØØ52 E	DONSON	LB		ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
				1	LT AAA PSN UNOCC
VN18ØØ62 E	DONGEM	RB	2043N 10538E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN18ØØ63 E	DONGEM	RB	2Ø43N 1Ø538E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
				1	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN180064 E	DONGEM	RB	2043N 10538E	ACTIVE	•
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN3ØØØ3Ø E	HA I PHONG	LB	2043N 10643E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25V4D				6	MED AAA PSN OCC
25X1D				2	MED AAA PSN UNDCC
				1	FIRE CONTROL RADAR

INSTALLATION	NO. NAME	MD	elease 2000/04/17 : CIA-RDP78 COORDINATE UTM 25X1D	STATUS COU	NT	EQUIPMENT TYPE
VN3ØØØ51 E	DONSON	LB		ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D			•		8	MED AAA PSN OCC
25/(10					1 .	FIRE CONTROL RADAR
					1	FIRE DIRECTOR
15Ø <u>Ø26</u> E	PHOCACBA	LB		ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D			•		6	MED AAA PSN OCC
/N18ØØØ5 E	HANOI	RB	2044N 10546E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					2	LT AAA PSN POSS OCC
25/10					3	LT AAA PSN UNOCC
/N3ØØØ28 E	NGUYETANG	LB	2046N 10636E	ACTÎVE		
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
23/10					1 .	PROB FIRE CONTROL RADAR
					1	PROB FIRE DIRECTOR
/N18ØØ25 E	NGUYENHANN	RR	2047N 10554E	ACTIVE		
DATE		112	FRAME		1	MED AAA SITE
05)/45	4				8	LT AAA PSN OCC
25X1D						
VN3ØØØ27 E	HAIPHONG 5	LB	2047N 10636E FRAME	ACTIVE		MED AAA CETT
DATE			PKAME		1 8	MED AAA SITE MED AAA PSN OCC
25X1D					1	FIRE CONTROL: RADAR
20,(12					i	FIRE DIRECTOR
					_	
800047 E	HAIPHONG:	LB		ACTIVE		NCO AAA CTTE
DATE			FRAME		1 8	MED AAA SITE MED AAA PSN OCC
25X1D					1	FIRE CONTROL: RADAR
					1.	FIRE DIRECTOR

CONFIDENTIAL/NO Approved For Polesco 2000/04/17: CIA-RDP78B04560A005400010020-7


			25X1C				
	CONFIDENTIA	AL/NO FOREIGN	zelese	e 2000/04/17 : CIA-RDP78	RR04560400540001003	20-7	R-50/66
	INSTALLATION	NO. NAME	MD		M STATUS COUN		EQUIPMENT TYPE
	VN180061 E	CONGXUYEN	RB	2048N 10552E	ACTIVE		
	DATE			FRAME		1	LTAAA SITE
	25X1D					6	LT AAA PSN OCC
	VN3ØØ <u>Ø37</u> E	HA I PHONG	LB	2048N 10636E	ACTIVE		•
1	DATE			FRAME		1.	MED AAA SITE
	25X1D					8	MED AAA PSN OCC
						1	FIRE CONTROL RADAR FIRE DIRECTOR
						1	FIRE DIRECTUR
	VN300042 E	HA I PHONG	LB	2048N 10637E	ACTIVE		·
	DATE			FRAME		1	LT:AAA SITE
	25X1D					2	LT AAA PSN OCC
						2	LT AAA PSN UNOCC
	VN300046 E	HAIPHONG	LB	2048N 10643E	ACTIVE		
	DATE			FRAME		1	MED AAA SITE
	25X1D					6	MED AAA PSN OCC
						2	MED AAA PSN UNOCC
						1	FIRE CONTROL RADAR FIRE DIRECTOR
						1	FIRE DIRECTUR
	V N3ØØØØ3 E	HAIPHONG	LB	2048N 10644E	ACTIVE		
	DATE			FRAME		1	MED AAA SITE
	25X1D					8	MED AAA PSN OCC
						1	FIRE CONTROL RADAR FIRE DIRECTOR
							FIRE DIRECTUR
	VN3ØØØ38 E	HAIPHONG -	LB	2049N 10638E	ACTIVE		
	DATE			FRAME I		1	LT AAA SITE
	25X1D					4 :	LT:AAA:PSN OCC
•	VN300014 E	HAI PHONG	LB	2049N 10640E	ACTIVE		
	DATE	_	-	FRAME		1.	MED AAA SITE
	25X1D					7	MED AAA PSN OCC
	23/10			•		1	MED AAA PSN UNDCC

INSTALLATION	NO. NAME	MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN300007 E	HAIPHONG	LB ·	2049N 10641E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				7	
				1	MED AAA PSN UNO
				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN3ØØØ21 E	HAIPHONG	LB	2Ø49N 1Ø644E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				4	MED AAA PSN DCC
20/(15				4	MED AAA PSN UNO
VN3ØØØ36 E	HAIPHONG	LB.	2049N 10644E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
05)/4D				4	LT AAA PSN OCC
25X1D				2	LT AAA PSN UNDC
VN31ØØØ2 E	HANOI	VB	2051N 10637E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D			-	8	MED AAA PSN OCC
23/10				ĭ	FIRE CONTROL RAI
			•	1	FIRE DIRECTOR
VN3ØØØ26 E	HAIPHONG	LB	2051N 10637E	ACTIVE	
DATE	THAT TIONS		FRAME	ACTIVE 1	MED AAA SITE
05)//5				6	MED AAA SITE
25X1D				2	MED AAA PSN UNDO
				ĩ	FIRE CONTROL RAD
			·	1	FIRE DIRECTOR
/N3ØØØ32 E	HAIPHONG	LB	2051N 10427C		
DATE	UNTLUNIA	L D	2051N 10637E FRAME	ACTIVE	MED AAA CTTE
			INNIE	1 6	MED AAA SITE MED AAA PSN OCC
25X1D				2	MED AAA PSN UUC
				1	FIRE CONTROL RAD
				ī	

CONFIDENTIAL	Approved For		c 2000/04/17 . CI A		A00540001002	
INSTALLATION N	NO. NAME	MD	COORDINATE	UTM	STATUS COUN	T EQUIPMENT TYPE
VN3ØØØ13 E	HAIPHONG	LB	2051N 10640E		ACTIVE	
DATE				25X1D		1 MED AAA SITE
				25/10		7 MED AAA PSN OCC
25X1D						1 MED AAA PSN UNDCC
			•			1 FIRE CONTROL RADAR 1 FIRE DIRECTOR
				25X1D		I FIRE DIRECTOR
VN3ØØØ17 E	HAIPHONG	LB	2051N 10640E	-	ACTIVE	
DATE			e.			1 MED AAA SITE
25X1D						4 MED AAA PSN OCC
				25X1D		4 MED AAA PSN UNOCC
VN300043 E	HAIPHONG	LB	2051N 10642E		ACTIVE	
DATE						l MED AAA SITE
25X1D						B MED AAA PSN OCC
20,(12						I FIRE CONTROL RADAR
			2	25X1D		I FIRE DIRECTOR
V N3ØØØ18 E	HAIPHONG	LB	2052N 10640E		ACTIVE	
DATE						L MED AAA SITE
25X1D						MED AAA PSN OCC
						L FIRE CONTROL RADAR
			•	25X1D	:	FIRE DIRECTOR
VN3ØØØ44 E	HAIPHONG	LB	2Ø52N 1Ø64ØE		ACTIVE	
DATE						L LT AAA SITE
25X1D						B LT AAA PSN OCC
25/(15			•	25X1D		LT AAA PSN UNOCC
VN300049 E	HAIPHONG	LB	2052N 10641E		ACTIVE	
DATE	HAIFHUNG		ZWOZN IWOTIE		ACTIVE	L LT AAA SITE
						L LT AAA SITE LT AAA PSN OCC
25X1D						LT AAA PSN UNOCC

CONFIDENTIA	L/NO FOREIGN Approved For	reieas	25 e 2000/04/17 : CIA-l	5X1C RDP78B04560A0054 0	0010020-7	R-5Ø/66
INSTALLATION		MD	COORDINATE		COUNT	EQUIPMENT TYPE
VN3ØØØ23 E	HAIPHONG	LB	2052N 10642E	ACTI	VE	
DATE			FRAME		1	LT AAA SITE
25X1D			25	5X1D	4	LT AAA PSN OCC
VN3ØØØ48 E	HAIPHONG	LB	2052N 10642E	ACTI	VF	
DATE			FRAME		1	MED AAA SITE
25X1D					5	MED AAA PSN OCC
29V ID			21	5X1D	1	MED AAA PSN UNO
VN3ØØØØ9 E	HAIPHONG	LB	2Ø53N 1Ø638E		1467	
DATE	HAIFHUNG	LD	FRAME	ACT	VE 1	MED AAA SITE
			· NAIL		8	MED AAA PSN OCC
25X1D					ì	FIRE CONTROL RA
			25	EV1D	1	FIRE DIRECTOR
VN3ØØØ1Ø E	HAIPHONG			5X1D		
DATE	MAIPHUNG	LB	2053N 10638E Frame	ACTI		MED AAA CITE
			FRAME		1 7	MED AAA SITE MED AAA PSN OCC
25X1D					i	MED AAA PSN UND
					ī	FIRE CONTROL RA
			25	5X1D	1	FIRE DIRECTOR
VN3ØØØ5Ø E	HAIPHONG	LB	2053N 10641E			
DATE	HAIFHUNG	LD	FRAME	: ACTI	VE 1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
				5X1D	J	1120 AAA 1 011 000
VN18ØØ67 E	TIENTHUONG	RB	2054N 10536E	ACTI	VE	
DATE			FRAME		1	MED AAA SITE
25X1D			25	X1D	8	MED AAA PSN OCC
VN18ØØ68 E	TIENAN	RB	2054N 10537E	ACTI	VF	
DATE	, , , , , ,		FRAME	ACTI	1	MED AAA SITE
25V4D					8	MED AAA PSN OCC
25X1D						

CONFIDENTIAL Approved For Education 2000/04/47 - GIA-RDP78B04560A005400010020-7



	L/NO FOREIGN Approved For	Releas	25X1C se 2000/04/17 : CIA-RDP7	8B04560A005400010020-	7 R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D		EQUIPMENT TYPE
VN18ØØ58 E DATE	QUYNHDO	RB	2056N 10550E	ACTIVE	
			FRAME	1 4	LT AAA SITE LT AAA PSN:OCC
25X1D VN14ØØ11 E	HANGT		0.054.1. 3.000.1.	•	E1 AAA 134 000
DATE	HANOI	LB	2056N 10556E Frame	ACTIVE 1	MED AAA CITE
0.574.45			· KANE	8	MED AAA SITE MED AAA PSN OCC
25X1D				i	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN16ØØØ8 E	HAI DUONG	LB	2056N 10621E	ACTIVE	
DATE			FRAME	1	HMGAA SITE
25X1D				4	HMGAA PSN OCC
VN160003 E	HAIDUONG	LB	2056N 10622E	ACTIVE	
DATE			FRAME	1	POSS LT AAA SITE
25X1D				$\overline{4}$.	POSS LT AAA PSN OCC
VN15ØØ35 E	HOMOAY				
DATE	HONGAY	LB	2056N 10706E Frame	ACTIVE	
			FRAME	1	MED AAA SITE
25X1D				4 2	MED AAA PSN OCC
				2	MED AAA PSN UNOCC
VN15ØØ36 E	HONGAY	LB	2056N 10707E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN180006 E	HANOI	RB	2057N 10548E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN DCC
				1	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN16ØØØ7 E	HA I DUONG	LB	2057N 10621E	ACTIVE	*.
DATE			FRAME I	1	LT-AAA SITE
				3	LT AAA PSN OCC
25X1D				1	LT AAA PSN UNDCC

INSTALLATION	NO. NAME	MD	e 2000/04/17 : CIA-RDP78B04 COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TY
VN150003 E	HONGAY	LB	2057N 10703E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	
20,(12				1	FIRE CONTROL RA
				1	FIRE DIRECTOR
VN150016 E	HONGAY	LB	_ 2057N 10703E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN15ØØ25 E	HONGAY	LB	2057N 10703E	ACTIVE	
DATE	HUNGAT	LD	FRAME	ACTIVE 1	LT AAA SITE
			1 NAME	8	LT AAA PSN OCC
25X1D				· ·	21 AAA 1311 000
VN15ØØ14 E	HONGAY	LB	2057N 10706E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				6	MED AAA PSN OCC
VN15ØØ37 E	HONGAY	LB	2057N 10707E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN150007 E	HONGAY	LB	2057N 10709E FRAME	ACTIVE	MEG
DATE			FRAME	1 4	MED AAA SITE MED AAA PSN OCC
25X1D				4	MED AAA PSN UCC
				·	neo AAA 1 ON ONG
VN18ØØ76 E	HADONG	RB	2058N 10546E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN31ØØ14 E	HANOI	RB	2058N 10549E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
05)/45				7	MED AAA PSN OCC
25X1D				1	MED AAA PSN UNO

INSTALLATION	Approved For NO. NAME	Releas	e 2000/04/17 : CIA-RDP78B04 COORDINATE 25X1D ^{UTM}	STATUS CO		EQUIPMENT TYPE
VN31ØØ31 E	BATTRANG	RB	2058N 10555E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
					1	FIRE CONTROL RADAR FIRE DIRECTOR
VN140006 E	HANOI	LB	2058N 10557E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
05)/45					8	MED AAA PSN OCC
25X1D					1	FIRE CONTROL RADAR
					1	FIRE DIRECTOR
VN160012 E	HAI DUONG	LB	2Ø58N 1Ø623E	ACTIVE		
DATE		***	FRAME	70111	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN160013 E	HAIDUONG		20524 104225			
DATE DATE	HAIDUUNG	LB	2058N 10623E FRAME	ACTIVE		
2016			FRAME		1 3	LT AAA SITE
25X1D					<i>3</i> 5	LT AAA PSN OCC LT AAA PSN UNOCC
)	LI AAA PSIN UNUUU
VN16ØØØ1 E	HAIDUONG	. LB	2058N 10624E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					4 .	LT AAA PSN OCC
VN15ØØ28 E	XAYCAP	LB	2058N 10746E	ACTIVE		
DATE	XAICAF		FRAME	ACTIVE	1	LT AAA SITE
25X1D			· NAME		4	LT AAA PSN OCC
					•	ET AAA FSN UCC
/N15ØØ29 E	XAYCAP	LB	2Ø58N 1Ø746E	ACTIVE		
DATE			FRAME I		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
/N190005 E	MEOTHON	: RB	2059N 10530E	ACTIVE		
DATE			FRAME I	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	LT AAA SITE
25X1D					6	LT AAA PSN OCC

25X1C

CONFIDENTIAL ABPFOXED FOR CONTINUE CIA-RDP78B04560A005400010020-7

INSTALLATION	Approved Fo	r Releas MD	SE 2000/04/17 : CIA-RDP78B04: COORDINATE 25X1DUTM	560A0054000100 Status col	20-7	R-50/66 EQUIPMENT TYPE
VN18ØØ46 E	HANDI	RB	2059N 10542E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
VN18ØØ12 E	HANOI	RB	_ 2059N 10546E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
					7	MED AAA PSN DCC
25X1D					1 .	MED AAA PSN UNDCC
					1 .	FIRE CONTROL RADAR
					1	FIRE DIRECTOR
VN310075 E	HADONG	RB	2059N 10547E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
0EV4D					8	MED AAA PSN DCC
25X1D					1	FIRE CONTROL RADAR
					1	FIRE DIRECTOR
VN31ØØ16 E	HANOI	RB	2059N 10553E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D					6	MED AAA PSN OCC
23/10					2 .	MED AAA PSN UNDCC
VN31ØØ19 E	HANOI	RB	2Ø59N 1Ø554E	ACTIVE		
DATE			FRAME	MOTIVE	1 .	MED AAA SITE
25V4D					8	MED AAA PSN OCC
25X1D					ĭ	FIRE CONTROL RADAR
					ī	FIRE DIRECTOR
VN15ØØ27 E	VAVCAD		2000			THE SERVESTOR
DATE DATE	XAYCAP	LB	2059N 10745E	ACTIVE	_	
25X1D			FRAME		1	LT AAA SITE
					4 :	LT AAA PSN OCC
VN19ØØØ9 E	DONGDOI	RB	2100N 10528E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC

INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS	COUNT	EQUIPMENT TYPE
VN310028 E	HANO I	RB	2100N 10546	ACTIVE		
			FRAME		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
					2	LT AAA PSN UNOCC
VN310018 E	HANOI	RB	2100N 10550	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN31ØØ37 E	HANDI	RB	2100N 105518	1677146		
DATE			FRAME	ACTIVE		1 T AAA CTT5
25X1D		·			1 4	LT AAA SITE LT AAA PSN OCC
					•	LI AMA FSN OCC
VN310008 E	HANOI	RB	2100N 10552E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
					1	FIRE CONTROL RADAR FIRE DIRECTOR
					•	FIRE DIRECTUR
VN31ØØ38 E	HANOI	RB	2100N 10555E	ACTIVE		
DATE			FRAME		1	LT:AAA SITE
25X1D					4	LT AAA PSN OCC
VN190016 E	DONGDOI	RB	2101N 10529E	ACTIVE		
DATE			FRAME	ACTIVE	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN19ØØ15 E	HOALAC		••			
DATE TO THE	HUALAC	RB	2101N 10530E FRAME	ACTIVE		
25X1D			FRAME		1	MED AAA SITE
					6	MED AAA PSN POSS OCC
VN18ØØ72 E	THUONGTHON	RB	2101N 10544E	ACTIVE		
DATE			FRAME		1	MED AAA SITE
25X1D					7	MED AAA PSN OCC
					1	MED AAA PSN UNDCC
					1	FIRE CONTROL RADAR

CIA-RDP78B04560A005400010020-7

		AL/NO FOREIGN Approved For			4560A0054000100		R-50/66
	INSTALLATION	NO. NAME	MD	COORDINATE UTM 25X1D	STATUS CO	UNT	EQUIPMENT TYPE
	VN310036 E	HANOI	RB	_ 2101N 10551E	ACTIVE		
	DATE			FRAME	401145	1	MED AAA SITE
	25X1D					4	MED AAA PSN DCC
	23/10					4	MED AAA PSN UNOCC
	VN310007 E	HANOI	RB	_ 21Ø1N 1Ø553E	ACTIVE		
,	DATE		11-	FRAME	ACITYE	1	MED AAA SITE
	25X1D					8	MED AAA PSN OCC
	VN140009 F	HAMOT					
	DATE DATE	HANOI	LB	2101N 10600E Frame	ACTIVE		
	25X1D			FRAME		1.	MED AAA SITE
	25X ID					8	MED AAA PSN OCC
						1	FIRE CONTROL RADAR FIRE DIRECTOR
						•	FIRE DIRECTOR
	VN15ØØ33 E	UONGB I	LB	2101N 10646E	ACTIVE		
	DATE			FRAME		1	LT AAA SITE
	25X1D					6	LT AAA PSN DCC
	VN15ØØ23 E	THAIKHE	LB	_ 2101N 10647E	ACTIVE		
	DATE			FRAME	ACTIVE	1	LT AAA SITE
	05V4D					4	LT AAA PSN OCC
	25X1D					2	LT AAA PSN UNDCC
	VN18ØØ73 E	SONDONG	0.0	01.001			
	DATE DATE	SUNDUNG	RB	2102N 10541E FRAME	ACTIVE		
				FRAME		1	MED AAA SITE
	25X1D					6	MED AAA PSN OCC
	VN31ØØ13 E	MAIDICH	RB	21Ø2N 1Ø546E	ACTIVE		
	DATE			FRAME		1	MED AAA SITE
	25X1D				_	6	MED AAA PSN DCC
,				•	•	2	MED AAA PSN UNOCC
						1 .	FIRE CONTROL RADAR
						1	FIRE DIRECTOR

	AL/NO FOREIGN Approved For		. 2000/04/17 . CIA	25X1C - RDP78B0456 0	0A0054000°	10020-7	R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE	UTM 25X1D	STATUS	COUNT	EQUIPMENT TYPE
VN31ØØ15 E	HANOI	RB	21Ø2N 1Ø549E	23/(10	ACTIVE		
DATE			FRAME		,,,,,,,,,	1	MED AAA SITE
25X1D						6	MED AAA PSN OCC
25/10						2	MED AAA PSN UNDCC
						1	FIRE CONTROL RADAR
						1.	FIRE DIRECTOR
VN31ØØØ9 E	HANOI	RB	21Ø2N 1Ø551E		ACTIVE		
DATE			FRAME		ACITVE	1	MED AAA SITE
25V1D			_			8	MED AAA SITE
25X1D						1.	FIRE CONTROL RADAR
						î	FIRE DIRECTOR
VN310003 E						-	THE DIRECTOR
DATE DATE	HANOI	RB	2102N 10554E		ACTIVE		
			FRAME			1	MED AAA SITE
25X1D						6	MED AAA PSN OCC
VN310001 E	HANOI	RB	21Ø2N 1Ø555E		ACTIVE		
DATE		IV.D	FRAME		ACTIVE		W50 444 05-5
25X1D						1 8	MED AAA SITE
						6	MED AAA PSN OCC
VN150017 E	HAMOCONG	LB	21Ø2N 1Ø646E		ACTIVE		
DATE			FRAME			1	LT AAA SITE
25X1D						6	LT AAA PSN OCC
VN15ØØØ4 E	NUITAPTINH	LB	21/22/1/2/25				
DATE	NOTTATTINN	LD	2102N 10647E FRAME		ACTIVE		
			FRAME !			1	LT AAA SITE
25X1D						4	LT AAA PSN OCC
VN15ØØ34 E	UONGBI	LB	2102N 10647E		ACTIVE		
DATE			FRAME		701115	1	LT AAA SITE
25X1D						6	LT AAA PSN OCC
VN150022 E	V0N00*					-	AAA 1 5/4 GCC
DATE	VONGB I	LB	21Ø2N 1Ø648E		ACTIVE		
			FRAME			1	HMGAA SITE
25X1D				_		4	HMGAA PSN OCC

INSTALLATION	NO. NAME	MD	COORDINATE 25X1DUTM	STATUS COUNT	EQUIPMENT TYPE
VN15ØØ24 E	YEHNGHIA	LB	2102N 10703E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				3	LT AAA PSN OCC
				1	LT AAA PSN UNOCC
180013 E	HANOI	RB	2103N 10542E	ACTIVE	
TE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
				2	LT AAA PSN UNOCC
VN31ØØ33 E	QUANLASO	RB	_ 2103N 10548E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				5 .	LT AAA PSN OCC
20/(15				1	LT AAA PSN UNDCC
/N15ØØ38 E	CAPMAI	LB	2103N 10702E	ACTIVE	
DATE			FRAME	1	HMGAA SITE
25X1D				5	LT AAA PSN OCC
N19ØØ1Ø E	MULTOOTETEN		23'6/11 165275		
DATE E	NUIDOIKIEN	KB	2104N 10527E FRAME	ACTIVE	MED ANA CITE
			TRAME	1 . 6	MED AAA SITE MED AAA PSN OCC
25X1D				1	POSS FIRE CONTROL RADAR
				$\tilde{1}$.	VAN TRUCK
/N18ØØ14 E	HANDI	RB	23:0(1) 1:05(25		
DATE DATE	HANUI	KD	2104N 10543E FRAME	ACTIVE 1	MED AAA SITE
25X1D			, vice	8	MED AAA SITE
				· ·	HED AAA FSN UCC
/N18ØØØ9 E	YENNOI	RB	2104N 10546E	ACTIVE	
DATE			FRAME	1 .	MED AAA SITE
25X1D				6	MED AAA PSN OCC
23/(10				2 . 1 .	MED AAA PSN UNOCC
				1.	FIRE CONTROL RADAR FIRE DIRECTOR

INSTALLATION	NO. NAME	MD		04560A005400		
		7.0	COORDINATE UTM 25X1D	STATUS	COUNT	EQUIPMENT TYP
VN31ØØ35 E Date	CAODINH	RB	_ 2104N 10547E	ACTIVE		
			FRAME		1	MED AAA SITE
25X1D					6 2	MED AAA PSN OCC
VN310011 E	114110*				2	MED AAA PSN UNO
DATE E	HANOI	RB	2104N 10549E	ACTIVE		
			FRAME		1	MED AAA SITE
25X1D					3	LT AAA PSN OCC
					5	LT AAA PSN UNDCO
/N310032 E	NHATTAN	RB	21Ø4N 1Ø549E	ACTIVE		
AIE			FRAME		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
					2 :	LT AAA PSN: UNOC
N140030 E	HANOI	VB	2104N 10554E	ACTIVE		
ATE			FRAME	70111	1	MED AAA SITE
25X1D			•		8	MED AAA PSN OCC
N140045 E	KIMQUANDON	IR:	2104N 10555E			
ATE			FRAME	ACTIVE	,	17/11/ 00-
25X1D		,			1 4	LT AAA SITE LT AAA PSN OCC
N140046 E	CONCOTAG		0.117.1.1.		•	CT AAA PSN UCC
ATE	CONGDINH	LB	21Ø4N 1Ø556E	ACTIVE		
25X1D			FRAME		1	MED AAA SITE
29/10					8	MED AAA PSN OCC
					1 1	FIRE CONTROLERAD
N15ØØ39 E	THATCAT	• •			1	LIKE DIKECIUK
ATE	INAICAI	LB	2104N 10712E FRAME	ACTIVE		
25X1D			FRAME		1	MED AAA SITE
					6	MED AAA PSN-OCC
N190006 E ATE	NUIDOYKIEN	RB	21Ø5N 1Ø528E	ACTIVE		
ATE			FRAME		2	MED AAA SITE
25X1D					6	MED AAA PSN OCC
20/(10					8	MED AAA PSN UNDC
					1	FIRE CONTROL RAD

CONFIDENTIA	L/Mpproveter		ĤĀÆ19₽78B04	I560A0054000	10020-7	⁷ R-5Ø/66
INSTALLATION		MD	COORDINATE 25X1D	STATUS CO		EQUIPMENT TYPE
VN190004 E	SONTAY	RB	21Ø5N 1Ø529E	ACTIVE		
DATE			FRAME	***************************************	5	LT AAA SITE
25X1D					6	LT AAA PSN DCC
_					5 .	LT AAA PSN UNOCC
					6	LT AAA PSN UNDCC
					6 6	LT AAA PSN UNDCC
					1	LT AAA PSN UNDCC Truck
VN190028 E					1	INUCK
DATE DATE	SONLOC	RB	2105N 10529E	ACTIVE		
			FRAME		1 /	MED AAA SITE
25X1D					7 -	MED AAA PSN OCC
					1 .	MED AAA PSN UNOCC
VN19ØØ29 E	NGAISON	: RB	2105N 10529E	ACTIVE		
DATE			FRAME	ACITAE	1.	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN180034 E					•	LE AAA PSN UCC
DATE DATE	HOANGXA	RB	2105N 10546E	ACTIVE		
			FRAME		1.	LT-AAA-SITE
25X1D					4	LT AAA PSN OCC
VN140010 E	HANDI	LB	2105N 10558E			
DATE			FRAME	ACTIVE		
25X1D			1175116		1 . 8 ·	MED AAA SITE
23/10	,				1	MED AAA PSN DCC FIRE CONTROL RADAR
					1	FIRE DIRECTOR
VN18ØØ74 E	TRAIMOI				-	THE DIRECTOR
DATE DATE	IKAIMUI	RB	21Ø6N 1Ø538E	ACTIVE		
			FRAME		1.	LT AAA SITE
25X1D					4	LT AAA PSN OGC
VN13ØØØ9 E	HANOI	VB	2106N 10551E	ACTIVE		
DATE			FRAME L	ACITYE	1	MÉD AAA CITE
25X1D					7	MÉD-AAA SITE Med aaa-psn-occ
23/10			•		1	MED AAA PSN UNDCC
					1	FIRE CONTROL RADAR
					1 .	FIRE DIRECTOR
						- ···· - - · ·· - · ··

CONFIDENTIAL / NO Approved FOR Polosco 2000/04/17: CIA-RDP78B04560A005400010020-7

INSTALLATION	NO. NAME	MD	COORDINATE 25X1DUTM	S	TATUS	COUNT	EQUIPMENT TYPE
VN15ØØ32 E DATE	VANGDANH	LB	21Ø6N 1Ø648E		ACTIV	E	
			FRAME			2	LT AAA SITE
25X1D						4	LT AAA PSN OCC LT AAA PSN UNOCC
VN19ØØØ2 E	CONTAN	2.0				•	CT AAA T SIE OROCC
DATE DATE	SONTAY	RB	2107N 10528E FRAME		ACTIV	_	
			FRAME			1 .	LT AAA SITE
25X1D						3 1	LT AAA PSN OCC
						1	LT AAA PSN UNOCC
VN130024 E	HANOI	VB	21Ø8N 1Ø55ØE	:	ACTIV	E	
DATE			FRAME			1	MED AAA SITE
25X1D						4	MED AAA PSN OCC
20/1.2						4 :	MED AAA PSN UNOCO
VN130 <u>022 E</u>	HANDI	VB	21Ø8N 1Ø551E		ACTIV	=	
DATE	·		FRAME			1.	LT AAA SITE
25X1D						4	LT AAA PSN OCC
VN130010 E	PHUCYEN	VB:	2111N 1Ø551E			_	
DATE TO THE PARTY OF THE PARTY	· HOOTEN	₹ D	FRAME		ACTIVE	: 1	MCD AAA CTTC
05V4D			7 113/12			8 :	MED AAA SITE MED AAA PSN OCC
25X1D						1,	FIRE CONTROL RADA
						1	FIRE DIRECTOR
VN14ØØ32 E	BACNINH	LB:	2111N 10606E		46774		
DATE	ONO WILLIAM		FRAME		ACTIVE	: 1	· IT: AAA . CTWF
25X1D			·			4	LT AAA SITE LT AAA PSN OCC
/N150005 E	0007444					•	ET MAN FON OCC
DATE E	PORTWALLUT	LB	2111N 10734E		ACTIVE	•	
25X1D			FRAME		•	1 .	LT AAA SITE
25710						3	LT AAA PSN OCC
/N130049 E	PHUCYEN	VB -	2112N 10547E		ACTIVE	•	
DATE			FRAME			1 .	MED AAA SITE
			•			8	MED AAA PSN OCC
25X1D						1	FIRE CONTROL RADA

	AL/NO FOREIGN		25X1C		R-50/66
INSTALLATION	NO Sphroved Fo	or Rejea	ase 2000(04/17 : CIA-RDP78B 25X1D	304560 <u>A0054</u> 00010020-7 —	EQUIPMENT TYPE
VN130047 E	PHUCYEN	٧B	2112N 1Ø55ØE	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				· 7	MED AAA PSN OCC
				1	MED AAA PSN UNOO FIRE CONTROL RAI
					FIRE DIRECTOR
)	•				faith warmeren
VN140037 E	BACNINH	LB	2112N 10605E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN140094 E	BACNINH	LB	2112N 1Ø6Ø5E	ACTIVE	
DATE			FRAME	J VC 11AF	MED AAA SITE
25V4D				6	MED AAA PSN OCC
25X1D				1	FIRE CONTROL RAI
				1	FIRE DIRECTOR
VN140095 E	BACNINH	LB	2112N 1Ø6Ø5E	ACTIVE	
DATE	DMOINTING		FRAME	ACTIVE	LT AAA SITE
25X1D			I RAIL	3	LT AAA PSN OCC
23V ID				, š	LT AAA PSN UNDC

VN140034 E	BACNINH	LB	2112N 10606E	ACTIVE	
			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN140035 E	BACNINH	LB	2112N 10606E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D			_	4	LT AAA PSN OCC
VN14Ø25X1D	~ 4 14 77 7	. n	33.50		
DATE	DAMTRI	LB ·	2112N 1Ø637E	ACTIVE	
DATE			FRAME	1 8	MED AAA DEN OCC
				1	MED AAA PSN OCC FIRE CONTROL RA
				1	FIRE DIRECTOR

CONFIDENTIAL / MPRENERGE TO BELLES 2000/04/47 - CIA-RDP78B04560A005400010920-7

CONFIDENTIA INSTALLATION	L/NO FOREIGN Approved For	Relea	25X1C ase 2000/04/17 : CIA-RDP78E COORDINATE UTM 25X1D	304560A0054000100 STATUS COUN	R-50/66 20-7 T EQUIPMENT TYPE
VN15ØØ13 E DATE	PORTWALLUT	LB	25X1D 2112N 10731E FRAME	ACTIVE	1 HMGAA SITE
25X1D VN150009 E	PORTWALLUT	LB	2112N 10733E	ACTIVE	3 HMGAA PSN OCC
DATE 25X1D			FRAME		LT AAA SITE Belt aaa PSN OCG
VN130002 E DATE 25X1D	PHUCYEN	VB	2113N 10545E FRAME		MED AAA SITE MED AAA PSN OCC FIRE CONTROL RADA
VN130004 E DATE	PHUCYEN	RB	2113N 10548E FRAME	ACTIVE	1 FIRE DIRECTOR 1 MED AAA SITE
25X1D VN13ØØ42 E DATE	PHUCYEN	VB	2113N 10549E FRAME	ACTIVE	4 MED AAA PSN OCC - 1 LT⊹AAA SITE
25X1D VN130007 E DATE	PHUCYEN	VB ·	2113N 10550E FRAME	ACTIVE	6 LT AAA PSN DCC 1 MED AAA SITE
25X1D					B MED AAA PSN OCC L FIRE CONTROL RADA L FIRE DIRECTOR
VN130041 E DATE 25X1D	PHUCYEN	VB	2113N 1Ø553E FRAME		MED AAA SITE B MED AAA PSN OCC L FIRE CONTROL RADA

CONFIDENTIAL/		Salasi		25X1C		7242222 7 ^R	-50/66
INSTALLATION NO	Approved For	r Releas	Se 2000/04/17 : (COORDINATE	CIA-RDP78B04 UTM 25X1D	STATUS		EQUIPMENT TYPE
VN130001 E Date	PHUCYEN	VB	2114N 10546E		ACTIVE		
		-	FRAME			1 8	MED AAA SITE
25X1D			'			0	MED :AAA :PSN :OCC
VN130038 E	PHUCYEN	VB	2114N 10550E	-	ACTIVE		
6			FRAME			1	HMGAA SITE
25X1D			'			3 1	HMGAA PSN OCC HMGAA PSN UNDCC
VN130048 E	*** * * * * * * * * * * * * * * * * * *					4	THUMA PONE UNDER
DATE DATE	PHUCYEN	VB	2115N 10549E FRAME	-	ACTIVE	_	•
			PKAME			1	LT AAA SITE
25X1D			1			2	LT AAA PSN OCC
VNØ9ØØØ2 E	******					-	LE AMA FOR DIVOCE
DATE DATE	BANBANNGOA	NW :	2116N 10440E FRAME		ACTIVE	_	
			PKAME !			1 4	LT AAA SITE
25X1D			'			4.	LT AAA PSN OCC
VN13ØØ13 E DATE	MOCHUHA	VB ·	2116N 1Ø526E	:	ACTIVE		
		A.	FRAME			1	MED AAA SITE
25X1D			1			8	MED AAA PSN OCC
			'			1	FIRE CONTROL RADAR FIRE DIRECTOR
VN13ØØ34 ∘E	*********					• •	FIRE DIRECTUR
DATE DATE	MOCHUHA	VB :	2116N 1Ø526E FRAME		ACTIVE	_	
25X1D			FRAME			1 8	MED AAA SITE
						0	MED AAA PSN OCC
VN130025 E Date	PHUCYEN	VB ·	2116N 1Ø549E		ACTIVE		
25X1D			FRAME I				LT AAA SITE
			'			4 :	LT-AAA PSN OCC:
VN140087 E	PHULANGTHU	LB	2116N 1Ø61ØE		ACTIVE		
DATE		á	FRAME				LT AAA SITE
25X1D						5	LT AAA PSN OCC
						1	LT AAA PSN UNOCC
							1

CIA-RDP78B04560A005400012020-7

CONFIDENTIA	L/NO FOREIGN	-Relie	25X1C ase 2000/04/17 : CIA-RDP7	2R045	: ℰՈ ΔՈՈ5 <i>Δ</i> ՈՈՈ∘	10020- [.]	7R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	00040	STATUS CO		EQUIPMENT TYPE
VN140015 E	PHULANGTHU	LB	2116N 1Ø611E		ACTIVE		
DATE			FRAME			1	LT AAA SITE
25X1D						6	LT AAA PSN OCC
VN140090 E	PHULANGTHU	LB	2116N 1Ø611E		ACTIVE		
DATE			FRAME		HO111E	1.	HMGAA SITE
25X1D						6	HMGAA PSN DCC
VN14ØØ93 E	PHULANGTHU	10	2116N 18611C		167745		
DATE	PHOLANGING	L D	2116N 10611E FRAME		ACTIVE	,	MED AAA CITE
25X1D			I NAME			1 6	MED AAA SITE MED AAA PSN OCC
						•	MED HAA FSN DEC
VN140091 E	PHULANGTHU	LB			ACTIVE		
			FRAME			1	MED AAA SITE
25X1D						6	MED AAA PSN OCC
		÷				1	FIRE CONTROL RADAR FIRE DIRECTOR
10111 4 6 6 6 6 6 7						4	TIRE DIRECTOR
VN140092 E Date	PHULANGTHU	LB	2116N 1Ø612E	*	ACTIVE		
			FRAME			1	MED AAA SITE
25X1D	,					8 · 1	MED AAA PSN OCC
						1	FIRE CONTROL RADAR FIRE DIRECTOR
*****						•	THE DIRECTOR
VN12ØØØ3 E Date	VIETTRI	VB	2117N 1Ø526E		ACTIVE		
			FRAME: F			1	MED AAA SITE
25X1D						8	MED AAA PSN OCC
VN120012 E	VIETTRI	VB	2117N 10526E		ACTIVE		
DATE			FRAME			1	MED AAA SITE
25X1D						8	MED AAA PSN OCC
VN130035 E	BACHHA	VB :	2117N 10527E		467745		
DATE	DOME		FRAME		ACTIVE	3	IT AAA CITE
25X1D						1 4	LT AAA SITE LT AAA PSN OCC
20/(10						•	L 7 - RAA 7 5 17 000

CONFIDENTIAL	L/NO FOREIGN		25X1		_R-50/66
INSTALLATION		r Relea MD	COORDINATE 25X1D	778B04560A005400010020 M STATUS COUNT	-7 EQUIPMENT TYPE
VN130036 E	BASSAD	٧B	2117N 1Ø527E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
				1	FIRE CONTROL RADAR
			•	1 /	FIRE DIRECTOR
VN130037 E	BACHHA	VB	2117N 1Ø527E	ACTIVE	
DATE			FRAME	1 .	MED AAA SITE
25X1D				5 -	MED AAA PSN OCC
				•	
VN140038 E Date	PHULANGTHU	LB	2117N 1Ø61ØE	ACTIVE	
			FRAME	1	MED AAA SITE
25X1D				2 : 4 :	MED AAA PSN OCC MED AAA PSN UNOCC
				₹ ·	MED AAA PSN UNUCC
VN14ØØ88 E	PHULANGTHU	LB:	2117N 1Ø61ØE	ACTIVE	
DATE			FRAME	1 .	MED-AAA SIJE
25V1D				7 .	MED AAA PSN OCC
25X1D				1 .	MED AAA PSN UNOCC
				1 .	FIRE CONTROL RADAR
				1 .	FIRE DIRECTOR
VN140041 E	PHULANGTHU	LB	2117N 1Ø612E	ACTIVE	
DATE	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		FRAME	1.	MED AAA SITE
25X1D				8	MED AAA PSN OCC
20/(18				1	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN12ØØØ2 E	V COTRAT		21100 105140		
DATE DATE	X.GOTRAI	VB:	2118N 1Ø516N FRAME	ACTIVE	MED AAR CITE
25X1D	v		FRAME	1 - 8 :	MED AAA SITE MED AAA PSN OCC
23/10				•	HED AAA PSN OCC
VN120020 E	LAMNGHIA	VB	2118N 10517E	ACTIVE	
DATE			FRAME	1	LTGAAA SITE
25V1D				4	LT AAA PSN DCC
25X1D					

CONFIDENTIAL	L/NO FOREIGN	: Balar	25X1C	PD0.4500.8005.40004.0020	R-50/66
INSTALLATION N		MD MD	ase 2000/04/17 : CIA-RDP78 COORDINATE 25X1D		EQUIPMENT TYPE
VN120011 E	MINHNONG	VB	2118N 1Ø523E FRAME	ACTIVE 1	LT AAA SITE
25X1D				8 .	LT AAA PSN OCC
VN120027 E	X.GOTRAI	VB	2118N 1Ø524E FRAME	ACTIVE	^{ል ሚዮ} - ልልለ- <i>ሙ</i> ተሟታም
25X1D			FRANC	4	LT AAA SITE LT AAA PSN OCC
VN120005 E	X.DINH	VВ	2118N 1Ø525E	ACTIVE	
DATE 25X1D			FRAME	1 , 8 1	MED AAA SITE MED AAA PSN OCC FIRE CONTROL RADAR FIRE DIRECTOR
**** ******				_	PIKE DIRECTOR
VN12ØØØ9 E Date	VIETTRE	V8	2118N 1Ø526E FRAME	ACTIVE	HMGAA SITE
25X1D			t strange	4,	HMGAA PSN OCC
VN120017 E	X.DOI	VB ·	2118N 1Ø526E	ACTIVE	
DATE			FRAME	1 : 8	MED AAA SITE MED AAA PSN OCC
25X1D				. 1	FIRE CONTROL RADAR
				1	FIRE DIRECTOR
VN120007 E	VIETTRI	VB ·	2118N 1Ø527E	ACTIVE	
VN130044 E	VINHYEN	٧B	2118N 1Ø537E	ACTIVE	
DATE			FRAME	1 8 ·	LT:AAA SITE LT:AAA PSN OCC
25X1D					LF:AAA PSN UCC
VN130045 E	VINHYEN	VΒ	2118N 1Ø537E FRAME	ACTIVE	A W. AAA. er twe
			FRAME	1 8	LT AAA SITE LT AAA PSN OCC
25X1D				•	

CONFIDENTIA	L/NO FOREIGN Approved Fo	Nele	25X1C ase 2000/04/17 . CTA-RDP78B0	4560A00540001002	0-7 ^{R−5∅} /66
INSTALLATION		MD	COORDINATE 25X1D	STATUS COUNT	
VN14ØØ86 E	PHULANGTHU	LB	_ 2118N 1Ø613E	ACTIVE	
DATE			FRAME	1.	
25X1D				4 .	HMGAA PSN OCC
VN14ØØ89 E	PHULANGTHU	LB	2118N 1Ø613E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	
VN140057 E	DINHLUC	LB	2110N 18615F		
DATE	DINIEUC:	LD	2118N 1 <i>0</i> 615E Frame	ACTIVE	4.T.44.V.07
25X1D			, NAME	1 4 :	LTHAAA SITE LTHAAA PSNHOCC
				T .	LI RAAA PSN UCC
VN14ØØ58 E	DINHLUC	LB:	2118N 1Ø615E	ACTIVE	•
DATE			FRAME	1	MED AAA SITE
25X1D				8 1	MED AAA PSN OCC
VN14025X1D	DINHXUYEN	LB -	2118N 10618E	ACTIVE	
DATE			FRAME	1.	LT AAA SITE
				4	LT AAA PSN OCC
VN140016 E	DONGTHONG		03304 354555		
DATE DATE	DUNGINUNG	LB	2118N 1Ø638E Frame	ACTIVE	
			FRAME	1.	LT AAA SITE
25X1D				4:	LTRAAA PSN OCC
VNØ8ØØ22 E	SONLA	NW	2119N 1Ø455E	ACTIVE	
DATE			FRAME	1.	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN12ØØ19 E	CAOMAI	VB ·	2119N:1Ø518E	ACTIVE	
DATE	and the same that it is	**	FRAME	ACTIVE 1	MED AAA SITE
25X1D			· -	8	MED AAA PSN OCC
23/10				1	FIRE CONTROL RADAR
				1 .	FIRE DIRECTOR

25X1C

		25X1C			
CONFIDENTIA	Approved to		IA-RDP78B0	04560A005400010020-	-7 ^{R-50} /66
INSTALLATION	NO. NAME	MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN19ØØØ8 E	X.TANLAP	VВ	2119N 10524E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
				8	MED AAA PSN UNOCC
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
VN120028 E	VINHQUE	V B	2119N 1Ø524E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN12ØØ23 E	THONNOI	VB	2119N 1Ø526E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
-				1 1	FIRE CONTROL RADAR
				_	FIRE DIRECTOR
VN130043 E Date	BAOSON	VB	2119N 1Ø537E	ACTIVE	
			FRAME	1 8	MED AAA SITE MED AAA PSN OCC
25X1D					MED AAA PSN UCC
VN130046 E DATE	VINHYEN	VB	2119N 1Ø537E	ACTIVE	
			FRAME	1 8 ·	LT AAA SITE
25X1D				°	LT AAA PSN OCC
VN140050 E	DINHXUYEN	LB	2119N 1Ø614E	ACTIVE	
DATE			FRAME I	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
VN140056 E	DINHXUYEN	LB	2119N 1Ø614E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				7 1	MED AAA PSN OCC MED AAA PSN UNOCC

CONFIDENTIA	AL/NO FOREIGN Approved F	25X1C	CIA-RDP78B(04560A00540001002	วก_7R−5Ø/66
INSTALLATION		MD	COORDINATE 25X1DUTM	STATUS COUNT	
VN140055 E	DINHXUYEN	٧B	2119N 1Ø615E	ACTIVE	
DATE			FRAME	2	MED AAA SITE
25X1D			•	16	
20/(12				2	
				2	
				1	
				4	LT AAA PSN OCC
VNØ8ØØ2Ø E	SONLA	NW	212ØN 1Ø355E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	
VNØ8ØØ21 E	SONLA	NW	212ØN 1Ø355E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D			· Finne	4	
				·	L! NAA ! U.1 UUU
VNØ8ØØ14 E	SONLA	NW	212ØN 1Ø4Ø2E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				5	
20/(12				1	
VN12ØØ22 E	THACHSON	V B	212ØN 1Ø517E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	
	=::::0::004				- , , , , , , , , , , , , , , , , , , ,
VN120025 E	THACHSON	٧B	212ØN 1Ø517E	ACTIVE	
DATE			FRAME	1	
25X1D				8	
				1	
				. 1	FIRE DIRECTOR
/N12ØØ29 E	THACHSON	VB ·	212ØN 1Ø517E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D			•	4	

		25X1C			
CONFIDENTIA	r\woodplocedg.le		CIA-RDP78B0	4560A005400010020-	7R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
/N12ØØ24 E	THACHSON	٧B	212ØN 1Ø518E	ACTIVE	
DATE STATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
/N12ØØ15 E	KHANGPHU	٧B	212ØN 1Ø519E	ACTIVE	
DATE			FRAME	1	MED AAA PSN OCC
25X1D				8	MED AAA PSN OCC
				1	FIRE CONTROL RADAM
/N12ØØ13 E	or morre	140		_	Tank vancutur.
ATE ATE	PHUDUC	٧B	212ØN 1Ø521E FRAME	ACTIVE	HED AAA ETTE
25X1D			FRAME	1 · 8	MED AAA SITE MED AAA PSN OCC
20/10				ĭ	FIRE CONTROL RADA
				1	FIRE DIRECTOR
N12ØØ16 E	HOSIN	VВ	2121N 1Ø518E	ACTIVE	
ATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
20/(12				1	FIRE CONTROL RADA
				1	FIRE DIRECTOR
N140002 E	DUCTHANG	٧B	2121N 10559E	ACTIVE	
ATE			FRAME (. 1	LT AAA SITE
25X1D				4 . 1	LT AAA PSN UNOCC HMGAA SITE
				8	HMGAA PSN POSS OC
N140044 E	HOANGGIAP		21221 17/155		
ATE	HUANGGIAF	LB	2122N 1Ø615E FRAME	ACTIVE	HED AAA CITE
25X1D			- I NAME	1 8 ·	MED AAA SITE MED AAA PSN OCC
20/(12				1	FIRE CONTROL RADA
				1	FIRE DIRECTOR

CONFIDENTIA	2 L/Napproved	25X1C	CIA-RDP78B(04560A005400010020	-7R-5Ø/66
INSTALLATION		MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
/N14ØØ75 E	KEP	LB	2122N 1Ø615E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				3	LT AAA PSN OCC
N140076 E	KEP	LB	2122N 1Ø615E	ACTIVE	
ATE	11		FRAME	ACTIVE 1.	MED AAA SITE
25V1D			· · · · · · · · · · · · · · · · · · ·	8	MED AAA PSN OCC
25X1D				1	FIRE CONTROL RADA
				-	THE CONTINUE NAVA
NØ7ØØØ2 E	DIENBIENPH	NW	2123N 10301E	ACTIVE	
ATE			FRAME	1.	LT:AAA SITE
25X1D				1	LT AAA PSN OCC
				3	LT AAA PSNEUNOCC
NØ7ØØØ1 E	DIENBIENPH	NW	2123N 10302E	ACTIVE	
ATE			FRAME	ACTIVE 1	LT AAA SITE
25X1D			V	4	LT AAA PSN OCC
				-	E1 NAM 1 011 000
N140071 E	KEP	LB	2123N 1Ø615E	ACTIVE	
ATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
N140077 E	KEP	LB	21224 184175	******	
ATE	NEF	LD	2123N 10617E	ACTIVE	MEN AAA OTTE
			FRAME	1	MED AAA SITE
25X1D				. 6	MED AAA PSN OCC
NØ7ØØØ3 E	DIENBIENPH	NW	2124N 10300E	ACTIVE	
ATE			FRAME	2	LT AAA SITE
25X1D			•	4	LT AAA PSN OCC
20/10				4	LT AAA PSN UNOCC
NØ7ØØØ4 E	OUMO TEMPULI	A11.2	2224		•
ATE	DUNBIENPHU	NW /	2124N 10302E FRAME	ACTIVE	
			PKAME -	1	LT AAA SITE
25X1D				4:	LT AAA PSN OCC

CONFIDENTIA	2 L/NAp 578844 1	5X1C	CIA-RDP78B0)4560A005400010020	1_7R-5Ø/66
INSTALLATION		MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYP
N140048 E	KEP	LB	2124N 1Ø616E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
			•	1	FIRE CONTROL RA
				1	FIRE DIRECTOR
N140074 E	KEP	LB	2124N 10616E	ACTIVE	
ATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
23/10				1	FIRE CONTROL RAI
				1	FIRE DIRECTOR
NØ6ØØ34 E	KEP	VΒ	2124N 1Ø617E	ACTIVE	
ATE	NC1	V	FRAME	ACTIVE	LT AAA SITE
05)(15)			TRATE	6	LT AAA PSN OCC
25X1D				Ü	ET AAA FSN OCC
NØ6ØØ35 E	KEP	VB	2124N 1Ø617E	ACTIVE	
ATE			FRAME	1	HMGAA SITE
25X1D				6	HMGAA PSN OCC
N140049 E	KEP	LB	2124N 1Ø617E	ACTIVE	
ATE	1121		FRAME	ACTIVE 1	LT AAA SITE
25V1D			7 1371156	6	LT AAA PSN OCC
25X1D				· ·	ET MAA PSIT UCC
N14ØØ33 E	KEP	LB	2124N 1Ø618E	ACTIVE	
ATE			FRAME	1	MED AAA SITE
25X1D				8	MED AAA PSN OCC
N140042 E	THANHQUANG	VD	2125N 10553E		
ATE	THANHQUANG	V D	FRAME	ACTIVE	1.7.444.0.77
			FRAME	1 2	LT-AAA SITE LT-AAA PSN OCC
25X1D				2	LT AAA PSN UUC
				2	ET AMA FSIG UNDEC
1140080 E	DADQUAN	LB	2125N 1Ø612E	ACTIVE	
ATE			FRAME :	1 .	MED AAA SITE
25X1D				8	MED AAA PSN OCC

CONFIDENTIA	AL/NO FOREIGN	J-1.010		4560A00540001	0020-7	7R-5Ø/66
INSTALLATION		MD	COORDINATE UTM 25X1D	STATUS COU	INT	EQUIPMENT TYPE
/NØ6ØØ47 E	KEP	VВ	2125N 1Ø615E	ACTIVE		
DATE SELECTION			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
NØ6ØØ36 E	KEP	٧B	2125N 10617E	ACTIVE		
ATE			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
NØ6ØØ37 E	KEP	٧B	2125N 1Ø617E	ACTIVE		
ATE TO THE STATE OF THE STATE O			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
NØ6ØØ4Ø E	KEP	VB	2125N 1Ø617E	ACTIVE		
ATE	****	10	FRAME	ACTIVE	1	LT AAA SITE
25X1D					8	LT AAA PSN OCC
N14ØØ73 E	KEP	LB	21254 194175			
ATE	NEP	LD	2125N 1Ø617E FRAME	ACTIVE	•	IMCAA CITE
25X1D			TRAFIL		1 6	HMGAA SITE HMGAA PSN OCC
					Ū	THIORA FSW OCC
N140078 E ATE E	DAOQUAN	VB	2126N 1Ø611E	ACTIVE		
			FRAME		1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
N14ØØ79 E	DAOQUAN	LB	2126N 1Ø612E	ACTIVE		
ATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
NØ6Ø <u>Ø</u> 39 E	KEP	VB	2126N 1Ø617E	ACTIVE		
ATE			FRAME		1 .	HMGAA SITE
25X1D					2 .	HMGAA PSN OCC
N12ØØ18 E	LANGSONVI	VΒ	2128N 1Ø519E	ACTIVE		
ATE TO THE STATE OF THE STATE O			FRAME	WC1 1AE	1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
20/(10					1	FIRE CONTROL: RAD
					1 .	FIRE DIRECTOR

00 102	[/] └\woodplogeq@j+	- KOIO	. 50 2000/04/17 . CIA-RDP78B0	4560A005400	010020-	7R-5Ø/66
INSTALLATION		MD	COORDINATE UTM 25X1D	STATUS C		EQUIPMENT TYPE
N140098 E	NHANMINH	VΒ	2128N 1Ø554E	ACTIVE		
ATE			FRAME		1	HMGAA SITE
25X1D					4	HMGAA PSN OCC
N140072 E	GAPHOVI	LB	2128N 1Ø623E	ACTIVE		
ATE			FRAME	70111E	1	LT AAA SITE
25X1D					6	LT AAA PSN DCC
N140096 E	NHANMINH	VB	2129N 1Ø554E	ACTIVE		
ATE TO THE TOTAL PROPERTY OF THE PROPERTY OF T	THE STATE OF THE S	VU	FRAME	ACTIVE	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
					•	27 7444 7517 500
N140097 E Ate	NHANMINH	٧B	2129N 10554E	ACTIVE		
			FRAME		1 .	HMGAA SITE
25X1D					4	HMGAA PSN OCC
N140081 E	THAINGUYEN	VB	2131N 1Ø551E	ACTIVE		
ATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
N140083 E	THAINGUYEN	٧B	2131N 10551E	ACTIVE		
ATE TO THE STATE OF THE STATE O	***************************************	V D	FRAME	ACTIVE	1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
NØ5ØØØl E	THATMCHYEN	V.D	21204 166515			
ATE TO THE	THAINGUYEN	VB	2132N 10551E FRAME	ACTIVE		
			FRAME		1 6	MED AAA SITE MED AAA PSN OCC
25X1D					2	MED AAA PSN UNDC
		_			_	THE HAA I SHE CHOC
N140004 E Ate	PHOHUONG	VB	2132N 1Ø553E	ACTIVE		
			FRAME		1	MED AAA SITE
25X1D					8 1	MED AAA PSN OCC
					1	FIRE CONTROL RAD

	2	5X1C	·			
CONFIDENTIAL	-/NApproved+	Role	ase zoooro ir n . CIA-R	DP78B04560A00540	J0010020-7	7 ^{R-50} /66
INSTALLATION N		MD	COORDINATE 25X1[EQUIPMENT TYPE
VN140082 E	THAINGUYEN	٧B	2132N 1Ø553E	ACTIV		
DATE OF VAD			FRAME		1 8	MED AAA SITE MED AAA PSN OCC
25X1D					U	MED MAA FON UCC
VNØ5ØØØ8 E	THAINGUYEN	VB	2133N 10550E	ACTIV	_	
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
					1	FIRE CONTROL RADAR
					1	FIRE DIRECTOR
VNØ5ØØØ4 E	THAINGUYEN	VΒ	2133N 1Ø553E	ACTIV	E	
DATE			FRAME		1	MED AAA SITE
25X1D					6	MED AAA PSN OCC
23/10					2	MED AAA PSN UNOCC
"N1 / 9337 E	7114 7410111771					
VN140007 E	THAINGUYEN	VB	2134N 1Ø551E	ACTIVI	_	
DATE			FRAME		1	DUMMY AAA SITE
					8	DUMMY AAA PSN
DATE			FRAME		1	MED AAA SITE
			1 NAME		8	MED AAA PSN OCC
25X1D					ŭ	HED AAA FOR SOC
VNØ5ØØ1Ø E	THA INGUYEN	VΒ	2134N 10553E	ACTIVE	Ε	
DATE			FRAME		1	MED AAA SITE
25X1D					8	MED AAA PSN OCC
20/(10					1	FIRE CONTROL RADAR
					1 .	FIRE DIRECTOR
VNØ5ØØØ3 E	THAINGUYEN	VΒ	2134N 1Ø554E	ACTIVE	F	
DATE		التث	FRAME	70	1	MED AAA SITE
25740					8	MED AAA PSN OCC
25X1D					ī	FIRE CONTROL RADAR
					1	FIRE DIRECTOR

CONFIDE		25X1C	ase 2000/04/17 . CIA-RDF)-7 ^{R-50} /66
INSTALLAT		MD	COORDINATE UT		STATUS COUNT	EQUIPMENT TYPE
VN14ØØ84 E Date	KEP	٧B	2134N 1Ø629E		ACTIVE	LT⊣AAA SITE
25X1E)				6	LT AAA PSN OCC
VNØ9ØØØ1 E	NGHIALO	NW	2135N 1Ø431E FRAME		ACTIVE	MED AAA SITE
25X1D			· · · · · · · · · · · · · · · · · · ·		4	MED AAA PSN OCC
VN110002 E	NGHIALO	VB	2135N 1Ø431E FRAME		ACTIVE	MED AAA SITE
25X1D					4	MED AAA PSN OCC
VNØ5ØØ12 E	THAINGUYEN	VB	2135N 1Ø551E		ACTIVE	
DATE			FRAME		1 /	MED AAA SITE
25X1D					8 1	MED AAA PSN OCC FIRE CONTROL RADAR
VN140029 E	THACHROC	VB	2135N 1Ø557E	•	ACTIVE	
DATE 25X1D			FRAME		1 6	MED AAA SITE MED AAA PSN OCC
VNØ5ØØØ5 E	THAINGUYEN	VB	2136N 1Ø548E			
DATE	MAINGOILN	V D	FRAME	*	ACTIVE 1	MED AAA SITE
25X1D					7 .	MED AAA PSN OCC
					1	MED AAA PSN UNDCC
VNØ5ØØ13 E	THAINGUYEN	VB	2136N 1Ø549E	-	ACTIVE	
DATE			FRAME		1	MED AAA SITE
25X1D					7	MED AAA PSN OCC MED AAA PSN UNOCC
					_	MED AAA PSN UNUCC
VNØ6ØØ45 E	ON	٧B	2139N 1Ø636E FRAME		ACTIVE	AT AAA CITE
			1 DAME I		1 3	LT AAA SITE LT AAA PSN OCC
25X1D						

CONFIDENTIA		25X1C			D 55144
	Approved F			04560A005400010020-	.7 ^{R-50} /66
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN110 <u>055</u> E	YENBAI	VB	2141N 1Ø453E	ACTIVE	
DATE			FRAME	1	LT:AAA SITE
25X1D				4 · ,	LT AAA PSN OCC
VNØ6ØØ41 E	DONGCHUA	VB	2141N 1Ø639E	ACTIVE	
DATE			FRAME	1	HMGAA SITE
25X1D				6	HMGAA PSN OCC
VNØ6ØØ42 E	DONGCHUA	VB :	2141N 1Ø639E	ACTIVE	
DATE	DOMOGNOA	* 0	FRAME	1	LT AAA SITE
25X1D				, 6	HMGAA PSN OCC
VNØ6ØØ44 E	DOMECTIVA	V.D	23/14/19/205		
DATE DATE	DONGCHUA	VB ·	2141N 10639E	ACTIVE 1	LT AAA SITE
25X1D			- V NO.12	6	LT AAA PSN OCC
VNØ6ØØ46 E DATE	DONGCHUA	VB	2141N 1Ø639E	ACTIVE	
25X1D			FRAME	1 4	HMGAA SITE HMGAA PSN OCC
				7	THOMA FSN OCC
VN110024 E	YENBAI	٧B	2142N 10452E	ACTIVE	
DATE			:FRAME	1.	LT AAA SITE
25X1D			•	3	LT AAA PSN OCC LT AAA PSN UNOCC
				•	21 7444 1 314 311333
VN11ØØ5Ø E	YENBAI	٧B	2142N 1Ø452E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				. 6	LT AAA PŞN OCC
VN110006 E	YENBAI	VB	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN110007 E	YENBAI	VB	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1:	LT AAA SITE
25X1D				4 ;	LT AAA PSN OCC
23/10				2 .	LT AAA : PSN: UNDCC

		25X1C	<u> </u>		
CONFIDENTIA	L/NO FOREIGN Approved F	or Kele	ase 2000/04/17 . CIA-RDP78B	04560A005400010020	-7 ^{R-5Ø} /66
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYP
VN110009 E	YENBAI	VB	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4:	LT AAA PSN OCC
VN110017 E	YENBAI	VB	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4 .	LT AAA PSN OCC
VN110020 E	YENBAI	V B	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				3	LT AAA PSN OCC
25/10				. 3	LT AAA PSN UNOC
VN110060 E	YENBAI	VB ·	2142N 1Ø453E	ACTIVE	
DATE			FRAME	1 .	LT AAA SITE
25X1D				3	LT AAA PSN OCC
VN110076 E	YENBAI	VB	2142N 10453E	ACTIVE	
DATE			FRAME	1 .	HMGAA SITE
25X1D				8	HMGAA PSN OCC
VN120010 E	DIATHON	٧B	2142N 1Ø515E	ACTIVE	
DATE			FRAME	1	MED AAA SITE
25X1D				. 8	MED AAA PSN OCC
VN110077 E	YENBAI	VB ·	2142N 1Ø654E	ACTIVE	
DATE			FRAME	1 .	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VN11ØØ3Ø E	YENBAI	VB	2143N 1Ø451E	ACTIVE	
DATE DESCRIPTION	1011000		FRAME	1	LT AAA SITE
25X1D				2	LT AAA PSN OCC
23/10				· 2	LT AAA PSN: UNDC

CONFIDENTIA		25X1C			D = 0.1//
CUNFIDENTIA	L\MApproveg_H	OF Refe	ase zoooro4/17 . CIA-RDP78B	04560A005400010020)-7 ^{~~00} / 00
INSTALLATION	NO. NAME	MD	COORDINATE 25X1D	STATUS COUNT	EQUIPMENT TYP
VN11ØØ39 E	YENBAI	VB	2143N 10451E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
05)//5				3	LT AAA PSN DCC
25X1D				1 .	LT AAA PSN UNOC
VN110049 E	YENBAI	VB	2143N 10451E	ACTIVE	
DATE			:FRAME	1	LT AAA SITE
25X1D				2	LT AAA PSN DCC
20/(10				4 :	LT AAA PSN:UNOC
VN11ØØ52 E	YENBAI	V B	2143N 1Ø451E	ACTIVE	
DATE			FRAME	1	HMGAA SITE
25V1D				3	HMGAA PSN OCC
25X1D				1	HMGAA PSN UNOCC
VN110067 E	YENBAI	VВ	2143N 1Ø451E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
VN110003 E	YENBAI	VB	2143N 1Ø452E	ACTIVE	
DATE	72.707.2	- 10	FRAME	1	LT:AAA SITE
				2	LT:AAA PSN OCC
25X1D				2	LT AAA PSNEUNDO
VN110046 E	YENBAI	V B	2143N 1Ø452E	ACTIVE	
DATE		,,,	FRAME	1	LT AAA SITE
				2	LT AAA PSN OCC
25X1D				1 -	LT AAA PSN UNO
VN110016 E	DONGBUN	VK:	2143N 1Ø453E	ACTIVE	
DATE	20.1020.1		FRAME	1	HMGAA SITE
25X1D				4	HMGAA PSN OCC
			23/24/3/525	457745	
VN110023 E	YENBAI	VB	2143N 1Ø453E FRAME	ACTIVE	LT AAA SITE
DATE			FRAGE	4.	LT AAA PSN OCC
25X1D			•	2	LT AAA PSN UNO

		25X1C				· .
CONFIDENTIAL	L/NO FOREIGN		ase 2000/04/17 . CIA-RDP78B	0.4560.40004	0000 7	R-50/66
INSTALLATION :	NO. NAME	MD	COORDINATE 25X1D	STATUS COU	INT	EQUIPMENT TYPE
VN110025 E	YENBAV	VΒ	2143N 1Ø453E	ACTIVE		
DATE 25X1D			FRAME		1 4 .	HMGAA SITE HMGAA PSN OCC
VNØ6ØØ27 E	KHONHO	VB	2144N 1Ø643E	ACTIVE		
DATE			FRAME		1 .	HMGAA SITE
25X1D					5 1	HMGAA PSN OCC
					1	HMGAA PSN UNDCC
VNØ3ØØØ1 E Date	TRAIHOANGT	⊎ VB	2145N 10501E	ACTIVE		
25X1D			FRAME		1 3	LT:AAA SITE LT:AAA PSN OCC
					,	LI MAA F3N UCC
VNØ3ØØØ2 E Date	TRAIHOANGT	∜ VB	2145N 10501E	ACTIVE		
25X1D			% FRAME		1 4 :	LT:AAA SITE LT:AAA:PSN OCC
			·		7	LIMANA PSN UCC
VN110001 E	DONGBUN	VΒ	2146N 1Ø45ØE	ACTIVE		
25X1D			FRAME		1 2	LT:AAA:SITE LT:AAA PSN OCC
25/10					2	LT AAA PSN UCC
VN11ØØ27 E	DOMODUM		21440 - 24-22-			
DATE	DONGBUN	VB	2146N 10450E FRAME	ACTIVE	,	LT AAA SITE
25X1D			INARL		1 4	LT AAA PSN DCC
VN110029 E	DOMERUM		21444 254555			
DATE	DONGBUN	VB	2146N 10450E FRAME	ACTIVE	1	LT AAA SITE
25X1D					4	LT AAA PSN OCC
VN110014 E	CONCRIM	445	01410 1945-			
DATE DATE	DONGBUN	VB	2146N 10451E FRAME	ACTIVE	1	LT:AAA SITE
0EV4D					4	LT AAA PSN OCC
25X1D						

INSTALLATION I	• •	MD	COORDINATE OF A DETAIL	STATUS COUN		IPMENT TYP
VN110026 E	DONGBUN	VВ	25X1D 2146N 10451E	ACTIVE		
DATE	00,,000,		FRAME		LT AAA	A SITE
25X1D						A PSN OCC
23/10					1 LT AAA	A PSN UNDO
VN11ØØ31 E	DONGBUN	VB	2146N 1Ø55ØN	ACTIVE		
DATE			FRAME		1 LT AAA	SITE
25X1D				l ·		A PSN OCC
25/10					2 LT AAA	A PSN UNOC
VNØ3ØØØ3 E	TUYENQUANG	VB -	2147N 10512E	ACTIVE		
DATE			FRAME		1 LT AAA	
25X1D				•	4: LT AA	A PSN OCC
VNØ3ØØØ4 E	TUYENQUANG	V B	2147N 1Ø513E	ACTIVE		
DATE			FRAME		1 LT AAA	SITE
25X1D					4 LT AAA	A PSN OCC
VN110062 E	РНОНОР	VB	2148N 1Ø445E	ACTIVE		
DATE			FRAME		1 LTAAA	A SITE
25X1D			•		2 LT AAA	A PSN DCC
20/(15					2 LT AAA	A PSN UNDO
VN110063 E	РНОНОР	V B	2148N 1Ø445E	ACTIVE		
DATE			«FRAME		1 LT÷AA	
25X1D				4	6 LT AAA	A PSN DCC
VN110064 E	PHOHOP	VB	2148N 1Ø445E	ACTIVE		
DATE			FRAME		1 LT AAA	A SITE
25X1D				•	6 LT AAA	A PSN OCC
VN110065 E	GANGOIHOP	VB	2149N 1Ø445E	ACTIVE		
DATE	UMINGUINOF	¥ D	FRAME		1 LT AAA	A SITE
25X1D						A PSN OCC
23/10						A PSN UNDO

CONFIDENTIA		25X1C	ase 2000/04/17 . CIA-RDP78B0	04560A005400010020	7R-50/66
INSTALLATION		MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN110066 E	GANGOIHOP	VB	2149N 1Ø445E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				3	LT AAA PSN OCC
VN110061 E	РНОНОР	٧B	2149N 1Ø446E	ACTIVE	
DATE	1 1101101	V D	FRAME	1	LT AAA SITE
				6	LT AAA PSN OCC
25X1D					
VNØ6ØØØ9 E Date	LANGSON	٧B	2149N 1Ø646E	ACTIVE	
			FRAME	1 4	HMGAA SITE HMGAA PSN DCC
25X1D				T	IIIIGAA F SIV OCC
VNØ6ØØØ3 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN DCC
VNØ6ØØØ5 E	LANGSON	VB	215ØN 10645E	ACTIVE	
DATE	EMITOSOIT	40	FRAME	1	LT AAA SITE
25X1D				4	LT AAA PSN OCC
23710				2	LTHAAA PSN UNDC
VNØ6ØØ1Ø E	LANGSON	VΒ	2150N 10645E	ACTIVE	
DATE	LANGSUN	VĐ	FRAME	ACTIVE 1	LT AAA SITE
25X1D			· NACIE	5,	LT AAA PSN OCC
VNØ6ØØ11 E	LANGSON	٧B	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1.	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ12 E	LANGSON	٧B	215ØN 10645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				7	LT AAA PSN OCC
VNØ6ØØ13 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE	201100011	10	FRAME	1	LT AAA SITE
				6	LT AAA PSN OCC
25X1D				•	

CONFIDENTIA		25X1C	ase 2000/04/17 . CIA-RDP78B0	0.4550.0005.40004.0004	_R-50/66
INSTALLATION	• •	MD	COORDINATE UTM	STATUS COUNT	EQUIPMENT TYP
VNØ6ØØ14 E	LANGSON	٧B	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ15 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1	LT:AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ16 E	LANGSON	VB	2150N 10645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ17 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1 .	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ19 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1.	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ21 E	LANGSON	VB ·	215ØN 1Ø645E	ACTIVE	
DATE			← FRAME	1 .	HMGAA SITE
25X1D				. 3 -	HMGAA PSN OCC
VNØ6ØØ22 E	LANGSON	'VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				7	LT AAA PSN OCC
VNØ6ØØ23 E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1	LT AAA SITE
25X1D				6	LT AAA PSN OCC
VNØ6ØØ24∃E	LANGSON	VB	215ØN 1Ø645E	ACTIVE	
DATE			FRAME	1 .	
25X1D				5	LT AAA PSN OCC
29V ID	•			1 1	LT RAAA PSNEUNOC

^	_	\	4	\sim

CONFIDENTIA	L/ND FOREIGN	NEW.	ase 2000/04/17 . CIA-RDP78	B04560A0054000	10020-7	,R-50/66
INSTALLATION		MD	COORDINATE 25X1D	STATUS CO		EQUIPMENT TYPE
VNØ6ØØØ8 E	LANGSON	٧B	215ØN 1Ø646E	ACTIVE		
DATE CENTER			FRAME		1 6	LT AAA SITE LT AAA PSN OCC
25X1D					Ū	£1.444.10H 500
VNØ6ØØ18 E	LANGSON	٧B	215ØN 1Ø646E	ACTIVE		MEO AAA CITE
DATE			FRAME		1 7	MED AAA SITE MED AAA PSN OCC
25X1D					1	FIRE CONTROL RADAR
VN110057 E	SOMTRA	٧B	2152N 1Ø441E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D		•			6	LT AAA PSN DCC
VN110058 E	SONTRA	VB	2152N 10441E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
VNØ6ØØØ7 E	LANGSON	VB	2152N 1Ø645E	ACTIVE		
DATE			FRAME		1	LT:AAA SITE
25X1D					3	LT AAA PSN OCC
VNØ6ØØØ6 E	LANGSON	VB	2153N 1Ø645E	ACTIVE		
DATE TO THE PARTY OF THE PARTY	277,7000,7		FRAME	,,,,,,	1 .	LT AAA SITE
25X1D					3	LT AAA PSN OCC
VNØ6ØØ2Ø E	LANGSON	VB	2153N 1Ø645E	ACTIVE		
DATE	CANOGON		FRAME	, , , , , , , , , , , , , , , , , , , ,	1	HMGAA SITE
25X1D					3	HMGAA PSN OCC
VN110068 E	SOMDONGDEP	VB ·	2155N 1Ø437E	ACTIVE		
DATE			EFRAME		1 1	LT∂AAA SITE
25X1D				•	6	LT AAA PSN OCC
VN11ØØ69 E	SOMDONGDEP	VB	2156N 1Ø437E	ACTIVE		
DATE			FRAME		1	LT AAA SITE
25X1D					6	LT AAA PSN OCC
20/(10						

		5X1C			1
CONFIDENTIA	L/NO FOREIGN	110100	.se 2000/0-//17 . CIA-RDP78B0)4560A005400010020-7	R-50/66
INSTALLATION	NO. NAME	MD	COORDINATE UTM 25X1D	STATUS COUNT	EQUIPMENT TYPE
VN11ØØ7Ø E Date	SOMDONGDEP	VB	2156N 10437E FRAME	ACTIVE 1 6	LT AAA SITE LT AAA PSN DCC
25X1D VNØ6ØØ25 E	DONGDANG :	VB	2156N 1Ø642E	ACTIVE	
25X1D			FRAME	1 · 5 ·	HMGAA SITE HMGAA PSN OCC
VN110071 E DATE 25X1D	LANGNA	VB	2157N 10436E FRAME	ACTIVE 1: 6	LT AAA SIFE
VN110072 E DATE	LANGNA	VB	2157N 1Ø436E FRAME	ACTIVE 1	LT:AAA SITE
25X1D				6.	LT AAA PSN OCC
VN110073 E DATE 25X1D	LANGNA	VB	2157N 10436E ■ FRAME	ACTIVE 1 3	LTSAAA SITE LTSAAA PSN OCC
VN11ØØ74∃E DATE	LANGNA	VB :	2157N 1Ø436E	ACTIVE	LT∵AAA SITE
25X1D				3	LT AAA PSN OCC
VN11ØØ75 E Date	LANGNA	VB	2157N 10436E FRAME	ACTIVE 1 4	LT AAA SITE
25X1D				•	LI MAR FOR UCC